A processing product of the Plasmodium falciparum reticulocyte binding protein RH1 shows a close association with AMA1 during junction formation

Gunalan, Karthigayan; Gao, Xiaohong; Yap, Sally Shu Lin; Lai, Soak-Kuan; Ravasio, Andrea; Ganesan, Sundar; Li, Hoi-Yeung; Preiser, Peter Rainer

2020

Gunalan, K., Gao, X., Yap, S. S. L., Lai, S., Ravasio, A., Ganesan, S., Li, H. & Preiser, P. R. (2020). A processing product of the Plasmodium falciparum reticulocyte binding protein RH1 shows a close association with AMA1 during junction formation. Cellular Microbiology, 22(9), e13232-. <https://dx.doi.org/10.1111/cmi.13232>

<https://hdl.handle.net/10356/153329>

<https://doi.org/10.1111/cmi.13232>

This is the peer reviewed version of the following article: Gunalan, K., Gao, X., Yap, S. S. L., Lai, S., Ravasio, A., Ganesan, S., Li, H. & Preiser, P. R. (2020). A processing product of the Plasmodium falciparum reticulocyte binding protein RH1 shows a close association with AMA1 during junction formation. Cellular Microbiology, 22(9), e13232-, which has been published in final form at <https://dx.doi.org/10.1111/cmi.13232>. This article may be used for non-commercial purposes in accordance with Wiley Terms and Conditions for Use of Self-Archived Versions.

PLA

FRET

(a) **(b)** **(d)** **(e)**

T994

(c) **(f)** T994
 Δ RH1**(g)**

T994

T994 Δ RH1

Schizont

Merozoite

Supernatant

Schizont

Merozoite

Supernatant

kDa

245 —

180 —

135 —

100 —

75 —

RVIII

PLA

FRET

(e)

PLA

FRET

(e)