Measurements of sediment pickup rate over dune-covered bed

Emadzadeh, Adel; Cheng, Nian-Sheng

2015

Emadzadeh, A., & Cheng, N.-S. Measurements of sediment pickup rate over dune-covered bed. Environmental Fluid Mechanics, in press.

<https://hdl.handle.net/10356/79373>

<https://doi.org/10.1007/s10652-015-9416-1>

© 2015 Springer Science+Business Media. This is the author created version of a work that has been peer reviewed and accepted for publication by Environmental Fluid Mechanics, Springer Science+Business Media. It incorporates referee's comments but changes resulting from the publishing process, such as copyediting, structural formatting, may not be reflected in this document. The published version is available at: [<http://dx.doi.org/10.1007/s10652-015-9416-1>].

Downloaded on 26 Apr 2023 20:16:49 SGT

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
1	D1-0.23-1	0.050	0.234	0.00023	2.38	8.78E-03	0.407	2.07E-03	8.26E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	-1.297	0.659	-1.149	6.408	7.098	3.253	8.406
0.9	2.442	0.894	-1.581	7.385	7.267	3.920	14.113
1.4	6.330	0.422	-2.180	8.364	7.482	4.392	20.380
1.9	12.627	0.073	-2.926	9.171	8.373	4.625	23.787
2.4	18.782	-0.161	-3.264	8.888	6.932	4.156	20.508
2.9	23.982	-0.070	-3.368	8.936	6.145	4.025	21.435
3.4	30.335	-0.241	-3.622	7.167	4.961	3.223	11.888
3.9	34.146	-0.084	-3.461	5.688	4.127	2.584	6.030
4.4	36.263	-0.427	-3.039	5.115	3.905	2.494	4.971
5.4	38.667	-0.241	-2.547	4.463	3.594	2.292	3.610
6.4	39.950	-0.292	-2.277	4.587	3.433	2.296	4.140
7.4	41.804	-0.392	-2.089	4.298	3.396	2.334	3.710
8.4	41.649	-0.404	-1.370	4.442	3.420	2.297	3.732
9.9	43.228	-0.281	-0.725	4.232	3.264	2.326	3.318
11.4	45.959	-0.212	-1.436	3.918	2.937	2.300	3.645
12.9	47.370	-0.307	-1.492	3.314	2.716	2.115	1.780
14.4	48.008	-0.180	-1.600	2.882	2.564	1.860	0.396

Notation

D	Sediment diameter (m)	U	Depth-averaged u (m/s)
E	Sediment pickup rate (m/s)	z	Vertical distance from the bed
H	Flow depth (m)	τ_{max}	Maximum Reynolds shear stress $-\rho \overline{u'w'}$
k_{max}	Maximum turbulence kinetic energy (m ² s ⁻²)		
K	Depth-averaged k (m ² s ⁻²)		
Q	Flow discharge (m ³ s ⁻¹)		
u, v, w	Time-averaged mean flow velocity in streamwise, spanwise and vertical directions		
u', v', w'	Root mean square of velocity fluctuations		

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
2	D1-0.23-2	0.050	0.226	0.00023	1.86	7.09E-03	0.416	1.91E-03	7.25E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	16.587	0.732	0.222	7.374	7.311	3.702	10.736
1	19.230	0.377	-0.283	7.859	7.862	4.259	16.087
1.5	22.283	0.313	-0.949	8.192	7.128	4.232	17.826
2	24.916	0.244	-0.982	8.477	6.366	3.988	18.599
2.5	29.203	0.012	-1.317	7.722	5.980	3.624	13.100
3	31.837	-0.022	-1.358	6.832	5.231	3.213	10.924
3.5	34.289	0.003	-1.351	5.669	4.344	2.771	5.614
4	36.205	-0.048	-1.184	5.124	3.958	2.593	4.899
4.5	36.422	-0.151	-0.922	4.922	3.748	2.508	4.720
5.5	38.888	-0.212	-0.854	4.620	3.545	2.458	4.283
6.5	40.204	-0.203	-0.829	4.346	3.522	2.362	4.062
7.5	41.694	-0.077	-0.797	4.378	3.367	2.358	4.292
8.5	41.962	-0.174	-0.126	4.425	3.322	2.216	3.664
10	44.919	-0.103	-0.622	4.004	3.041	2.266	3.139
11.5	46.071	-0.180	-0.912	3.449	2.774	2.176	2.001
13	46.986	-0.211	-1.069	3.023	2.633	2.000	1.021
14.5	46.722	-0.234	-0.995	2.760	2.681	1.891	-0.163
16	46.315	-0.314	-0.930	2.668	2.688	1.682	-0.987

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
3	D1-0.23-3	0.050	0.218	0.00023	1.23	4.42E-03	0.408	1.73E-03	8.45E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	24.933	-0.351	0.975	6.073	6.056	3.095	7.032
1.3	26.773	-0.138	0.728	6.592	5.716	3.300	9.325
1.8	28.327	0.009	0.513	6.743	5.460	3.629	12.334
2.3	29.799	0.019	0.346	6.627	5.502	3.492	11.457
2.8	32.304	-0.273	0.202	6.502	4.713	3.148	10.097
3.3	34.625	-0.265	-0.153	5.893	4.372	2.827	6.818
3.8	36.814	-0.170	-0.195	5.071	3.829	2.478	4.593
4.3	37.718	-0.172	-0.180	4.723	3.685	2.346	3.978
4.8	38.636	-0.137	0.075	4.483	3.506	2.280	3.777
5.8	40.429	-0.365	-0.053	4.305	3.278	2.216	3.190
6.8	40.902	-0.271	0.095	4.259	3.270	2.181	3.185
7.8	41.910	-0.182	0.323	4.013	3.173	2.156	2.637
9.3	42.865	0.050	0.386	3.915	3.212	2.176	2.159
10.8	43.821	0.282	0.449	3.817	3.251	2.195	1.681
12.3	45.293	0.007	-0.539	3.159	2.854	2.102	0.017
13.8	44.588	0.067	-0.731	3.031	2.884	2.068	-1.128

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
4	D1-0.23-4	0.050	0.212	0.00023	0.82	3.42E-03	0.415	1.53E-03	9.43E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	29.324	-0.334	1.009	5.495	5.225	2.239	4.083
1.1	30.602	-0.441	0.879	5.769	5.131	2.832	6.502
1.6	32.112	-0.360	0.705	5.694	5.147	3.080	7.359
2.1	32.873	-0.276	0.439	5.673	4.704	3.093	6.963
2.6	34.324	-0.399	0.515	5.776	4.535	3.067	8.169
3.1	36.150	-0.290	0.356	5.685	4.134	2.850	6.917
3.6	37.449	-0.326	0.222	5.409	4.017	2.637	6.532
4.1	38.562	-0.403	0.169	4.845	3.792	2.474	4.901
4.6	39.180	-0.251	0.203	4.515	3.694	2.413	4.210
5.1	40.574	-0.248	0.074	4.531	3.481	2.321	4.059
6.1	41.744	-0.203	0.188	4.056	3.175	2.261	3.313
7.1	42.843	-0.227	0.299	3.842	3.065	2.133	2.613
8.6	43.344	-0.147	0.586	3.688	2.986	2.134	2.160
10.1	43.846	-0.067	0.873	3.535	2.906	2.134	1.707
11.6	45.322	0.362	-0.309	3.136	3.267	2.096	-0.213
13.1	44.768	-0.012	-0.625	2.960	2.914	2.000	-0.916
14.6	43.882	-0.107	-0.852	2.862	2.909	1.862	-0.745

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
5	D1-0.23-5	0.050	0.206	0.00023	0.75	2.87E-03	0.426	1.45E-03	1.67E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	31.629	-0.514	0.705	4.855	4.749	1.981	3.188
1.1	33.736	-0.457	0.621	5.048	5.064	2.466	4.391
1.6	34.572	-0.503	0.495	5.243	4.723	2.679	4.969
2.1	35.761	-0.415	0.549	5.486	4.399	2.822	6.595
2.6	36.921	-0.355	0.409	5.517	4.214	2.935	7.495
3.1	37.810	-0.277	0.313	5.283	4.029	2.798	6.433
3.6	38.665	-0.362	0.153	4.964	4.013	2.647	5.383
4.1	39.691	-0.313	0.140	4.950	3.853	2.538	5.059
4.6	41.425	-0.523	-0.071	4.435	3.630	2.393	4.018
5.6	42.465	-0.379	-0.027	4.332	3.234	2.246	3.355
6.6	43.482	-0.319	0.163	4.100	3.095	2.166	2.815
8.1	44.374	-0.183	0.278	3.719	2.973	2.170	2.136
9.6	44.681	-0.273	0.645	3.527	2.850	2.066	2.114
11.1	46.023	0.164	0.061	3.256	3.052	2.120	-0.008
12.6	45.477	0.050	-0.564	2.978	2.871	1.997	-0.762
14.1	44.727	-0.064	-0.726	2.894	2.831	1.909	-0.924
15.6	43.940	-0.203	-0.677	2.777	2.817	1.700	-0.584

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
6	D1-0.23-6	0.050	0.202	0.00023	0.57	2.46E-03	0.432	1.37E-03	1.92E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	33.714	-0.569	0.319	4.835	4.683	1.952	3.479
1.2	35.364	-0.725	0.262	4.982	4.216	2.213	3.906
1.7	36.401	-0.425	0.092	4.881	4.196	2.514	4.725
2.2	36.892	-0.473	0.078	5.035	3.981	2.571	5.163
2.7	38.466	-0.236	-0.042	4.914	3.981	2.636	5.245
3.2	39.322	-0.429	-0.125	4.993	3.737	2.647	5.653
3.7	40.619	-0.409	-0.376	4.752	3.742	2.432	4.310
4.2	40.752	-0.394	-0.152	4.789	3.571	2.497	5.170
4.7	41.736	-0.316	-0.243	4.471	3.441	2.414	4.481
5.2	42.619	-0.458	-0.333	4.401	3.312	2.352	4.086
6.2	43.812	-0.285	-0.207	3.829	3.042	2.128	2.101
7.7	44.907	-0.184	-0.076	3.401	2.873	2.106	1.858
9.2	45.294	-0.142	-0.125	3.237	2.854	2.056	1.035
10.7	45.681	-0.099	-0.174	3.073	2.835	2.005	0.213
12.2	45.371	-0.139	-0.505	2.939	2.906	1.955	-0.214
13.7	45.060	-0.178	-0.835	2.806	2.978	1.904	-0.642
15.2	44.579	-0.408	-0.698	2.824	3.029	1.693	-0.500

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
7	D1-0.23-7	0.050	0.200	0.00023	0.52	2.30E-03	0.445	1.31E-03	2.26E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	33.454	-0.523	0.280	4.757	4.382	1.610	2.846
1	35.475	-0.412	0.246	4.850	4.270	2.036	3.919
1.5	37.026	-0.485	0.035	4.599	4.042	2.328	3.958
2	37.743	-0.430	-0.186	4.704	3.992	2.427	4.273
2.5	38.265	-0.482	0.015	4.766	4.011	2.645	5.026
3	39.774	-0.403	-0.336	4.604	3.751	2.482	4.611
3.5	40.058	-0.360	-0.418	4.636	3.673	2.604	4.873
4	41.222	-0.296	-0.581	4.718	3.601	2.458	4.983
4.5	42.098	-0.430	-0.631	4.680	3.438	2.509	5.200
5	43.046	-0.403	-0.792	4.291	3.199	2.362	4.150
6	43.770	-0.412	-0.616	4.266	3.114	2.310	3.840
7.5	45.038	-0.313	-0.642	3.695	2.908	2.096	2.441
9	44.860	-0.277	0.113	3.601	2.913	2.349	2.658
10.5	46.349	-0.129	-0.281	3.383	2.972	2.138	1.215
12	47.838	0.018	-0.675	3.165	3.030	1.928	-0.228
13.5	47.021	-0.278	-1.189	2.539	2.558	1.695	-0.265

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.23-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
8	D1-0.23-8	0.050	0.220	0.00023	1.45	5.36E-03	0.402	1.64E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	-0.570	0.442	1.420	2.685	3.983	1.186	-0.064
1.1	0.067	1.153	1.333	3.698	4.376	1.976	1.776
1.6	9.350	-0.186	-0.321	7.396	6.461	3.280	14.493
2.1	24.593	-0.893	-1.774	7.704	5.443	2.821	13.120
2.6	33.373	-1.170	-1.441	5.460	4.260	2.056	5.176
3.1	36.168	-1.359	-1.079	4.841	3.958	2.163	4.243
3.6	37.731	-0.835	-1.090	4.784	3.765	2.194	4.140
4.1	38.153	-0.873	-1.043	4.677	3.883	2.386	4.222
5.1	40.195	-0.656	-1.225	4.684	3.607	2.528	4.836
6.1	40.690	-0.499	-1.090	4.256	3.429	2.501	3.892
7.1	42.631	-0.612	-1.296	4.349	3.202	2.368	3.486
8.1	44.080	-0.570	-1.153	3.911	3.030	2.161	2.921
9.6	44.320	-0.534	-0.805	3.789	3.077	2.205	2.952
11.1	45.522	-0.340	-0.791	3.334	2.668	1.926	1.105
12.6	47.095	-0.379	-1.106	2.946	2.638	1.875	-0.280
14.1	46.271	-0.039	-1.156	2.636	2.795	1.804	-0.435
15.6	44.494	-1.117	-0.920	3.739	3.394	1.787	0.481

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
9	D2-0.23-1	0.056	0.233	0.00023	3.01	1.05E-02	0.451	2.61E-03	1.46E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	2.208	0.636	-1.922	8.284	8.182	4.529	17.128
1.3	6.510	0.501	-2.153	9.342	8.657	4.903	23.478
1.8	12.615	0.363	-3.032	10.012	9.189	5.006	28.054
2.3	19.378	-0.096	-3.597	10.426	8.100	4.942	30.129
2.8	26.200	-0.080	-3.852	9.496	6.915	4.387	23.408
3.3	33.021	-0.178	-4.112	8.413	5.833	3.715	16.016
3.8	37.717	-0.286	-3.977	6.862	4.842	3.081	9.287
4.3	40.462	-0.497	-3.439	5.743	4.357	2.736	5.854
5.3	43.175	-0.306	-2.826	5.141	3.836	2.555	4.869
6.3	45.114	-0.370	-2.505	4.913	3.966	2.686	5.201
7.3	46.451	-0.229	-2.222	4.856	3.844	2.634	4.930
8.3	47.682	-0.367	-1.729	4.765	3.809	2.680	5.005
9.8	47.962	-0.167	-0.827	4.598	3.766	2.507	3.608
11.3	51.245	-0.308	-1.612	4.189	3.391	2.586	4.150
12.8	53.143	-0.358	-1.712	3.824	3.077	2.436	2.951
14.3	53.450	-0.184	-1.766	3.304	2.987	2.264	0.533
15.8	52.356	-0.300	-1.737	3.249	3.011	2.105	-1.023

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
10	D2-0.23-2	0.056	0.225	0.00023	2.60	8.61E-03	0.466	2.44E-03	1.46E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	18.312	0.532	0.151	7.955	8.251	3.961	11.570
1	20.223	0.368	-0.463	8.934	8.348	4.763	20.938
1.5	23.921	0.279	-0.920	9.326	7.593	4.833	24.120
2	27.898	0.191	-1.260	9.958	7.149	4.682	26.002
2.5	32.418	-0.024	-1.623	8.796	6.046	4.120	19.608
3	35.867	-0.224	-1.884	7.447	5.528	3.467	10.885
3.5	38.382	-0.024	-1.581	6.650	4.854	3.169	9.068
4	40.153	-0.180	-1.511	5.860	4.459	2.881	6.158
4.5	41.552	-0.135	-1.261	5.431	4.195	2.775	5.875
5.5	43.866	-0.288	-1.060	5.209	3.960	2.698	5.681
6.5	46.011	-0.265	-1.106	4.995	3.783	2.663	5.248
7.5	47.381	-0.292	-1.043	4.698	3.784	2.588	4.853
8.5	44.587	-0.384	-0.047	9.451	3.802	3.786	-19.250
10	49.094	-0.174	0.018	4.851	3.670	2.601	3.870
11.5	51.945	-0.196	-1.103	4.107	3.218	2.529	2.794
13	52.701	-0.309	-1.340	3.440	2.992	2.404	1.191
14.5	52.791	-0.430	-1.347	3.097	3.075	2.136	-0.291
16	51.805	-0.310	-1.198	3.125	2.989	2.016	-1.057

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
11	D2-0.23-3	0.056	0.217	0.00023	1.43	5.50E-03	0.465	1.94E-03	1.68E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	26.863	-0.365	1.288	6.735	7.529	2.820	5.880
0.9	29.257	-0.459	0.985	7.089	6.656	3.577	9.428
1.4	30.970	-0.210	0.548	7.316	6.364	3.933	12.503
1.9	34.044	-0.398	0.075	7.607	5.912	3.973	14.265
2.4	35.468	-0.232	0.219	7.673	5.720	3.808	14.267
2.9	38.079	-0.468	-0.189	6.802	5.112	3.472	11.411
3.4	39.589	-0.404	-0.120	6.377	4.682	3.046	8.398
3.9	41.643	-0.563	-0.138	5.727	4.495	2.911	6.278
4.4	42.677	-0.544	-0.060	5.416	4.096	2.744	5.349
4.9	43.357	-0.515	-0.045	5.137	4.063	2.681	5.107
5.9	45.099	-0.349	-0.077	4.660	3.757	2.571	4.369
6.9	46.235	-0.342	-0.021	4.562	3.593	2.512	4.513
7.9	46.783	-0.420	0.357	4.657	3.428	2.426	4.241
9.4	47.753	-0.392	0.795	4.529	3.274	2.413	2.736
10.9	50.500	-0.216	-0.252	3.794	3.217	2.403	2.605
12.4	51.305	-0.512	-1.106	3.157	2.663	2.130	0.476
13.9	51.209	-0.424	-1.161	2.904	2.659	1.941	-0.322
15.4	50.045	-0.282	-1.453	2.736	2.614	1.719	-0.973

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
12	D2-0.23-4	0.056	0.211	0.00023	1.05	4.19E-03	0.476	1.74E-03	2.43E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	32.747	-0.700	1.051	6.083	6.061	2.612	5.297
1.1	34.318	-0.200	0.918	6.317	5.725	3.258	7.768
1.6	35.786	-0.383	0.775	6.393	5.524	3.376	8.986
2.1	37.558	-0.332	0.567	6.648	5.269	3.429	10.474
2.6	38.919	-0.248	0.426	6.312	5.086	3.483	9.578
3.1	40.840	-0.375	0.292	6.505	4.904	3.331	10.389
3.6	42.456	-0.582	0.158	5.944	4.486	3.099	8.180
4.1	43.165	-0.534	0.040	5.591	4.272	2.844	6.404
4.6	44.667	-0.590	0.220	5.159	4.036	2.677	5.777
5.1	45.484	-0.507	0.088	5.074	3.874	2.580	4.946
6.1	47.819	-0.531	-0.088	4.558	3.443	2.438	4.152
7.1	48.204	-0.445	-0.024	4.361	3.439	2.430	3.775
8.6	48.755	-0.503	0.372	4.284	3.518	2.526	3.716
10.1	50.266	-0.164	0.382	3.862	3.131	2.445	2.911
11.6	51.790	0.007	-0.785	3.048	3.033	2.051	0.293
13.1	51.410	-0.381	-1.005	2.714	2.594	1.891	-0.409
14.6	50.575	-0.422	-1.208	2.652	2.606	1.792	-0.929

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
13	D2-0.23-5	0.056	0.205	0.00023	0.89	3.76E-03	0.487	1.65E-03	3.94E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	36.054	-0.729	0.647	5.790	5.461	2.293	-4.306
1.1	37.860	-0.599	0.603	5.855	5.264	2.863	-5.979
1.6	38.901	-0.783	0.510	6.309	5.015	3.204	-7.675
2.1	40.397	-0.493	0.373	6.180	5.124	3.274	-7.564
2.6	41.249	-0.618	0.336	6.219	4.970	3.372	-8.863
3.1	42.727	-0.444	0.233	5.909	4.657	3.188	-8.215
3.6	44.146	-0.545	0.031	5.871	4.406	3.096	-8.084
4.1	45.119	-0.646	-0.195	5.324	4.162	2.951	-6.810
4.6	46.656	-0.504	-0.267	5.305	3.977	2.732	-5.649
5.6	48.057	-0.675	-0.376	4.470	3.642	2.599	-4.127
6.6	49.947	-0.558	-0.275	4.109	3.234	2.378	-3.431
8.1	49.862	-0.460	0.264	3.969	3.322	2.415	-2.875
9.6	49.951	-0.354	0.983	4.103	3.271	2.222	-2.432
11.1	52.209	-0.325	-0.353	3.316	2.811	2.188	-0.940
12.6	51.920	-0.265	-1.017	2.825	2.617	1.949	0.431
14.1	51.307	-0.249	-1.167	2.672	2.609	1.755	0.806

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
14	D2-0.23-6	0.056	0.201	0.00023	0.73	3.20E-03	0.497	1.54E-03	4.32E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	38.303	-0.801	0.457	5.313	5.027	2.218	4.154
1.3	39.946	-1.090	0.410	5.614	4.955	2.723	5.675
1.8	41.703	-0.721	0.114	5.437	4.683	2.882	5.750
2.3	42.121	-0.706	0.119	5.754	4.626	3.088	7.201
2.8	43.022	-0.464	0.211	5.608	4.595	3.149	6.829
3.3	44.392	-0.596	-0.181	5.584	4.310	3.021	7.211
3.8	45.364	-0.611	-0.162	5.508	4.113	2.979	7.340
4.3	46.126	-0.441	-0.246	5.416	4.070	2.943	7.001
4.8	47.804	-0.604	-0.485	4.933	3.861	2.638	5.008
5.3	48.226	-0.597	-0.572	4.936	3.721	2.595	5.014
6.3	49.892	-0.627	-0.481	4.328	3.339	2.429	3.650
7.8	51.703	-0.474	-0.566	3.758	3.055	2.256	2.446
9.3	52.210	19.408	-0.545	3.561	26.470	2.259	2.111
10.8	52.938	-0.404	-0.725	3.026	2.822	2.044	0.578
12.3	52.636	0.043	-1.002	3.092	3.420	2.072	-0.223
13.8	52.093	-0.344	-1.201	2.653	2.552	1.838	-0.740

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
15	D2-0.23-7	0.056	0.199	0.00023	0.70	2.86E-03	0.504	1.50E-03	4.58E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	38.242	-0.755	0.245	5.340	4.661	1.785	3.780
1	40.502	-0.848	0.245	5.155	4.636	2.236	3.897
1.5	42.387	-0.888	0.092	5.360	4.476	2.540	4.959
2	43.372	-0.886	-0.164	5.233	4.428	2.774	5.347
2.5	44.231	-0.722	-0.328	5.394	4.325	2.848	5.885
3	44.934	-0.635	-0.345	5.384	4.409	2.951	6.363
3.5	46.013	-0.594	-0.508	5.111	4.184	2.838	6.155
4	46.981	-0.563	-0.538	5.295	3.979	2.889	6.983
4.5	47.642	-0.571	-0.776	5.278	3.757	2.727	5.895
5	48.611	-0.606	-0.863	4.936	3.682	2.738	5.886
6	49.907	-0.418	-0.792	4.502	3.415	2.465	4.314
7.5	52.210	-0.526	-0.945	3.861	3.040	2.235	2.576
9	54.711	-6.226	1.520	14.036	16.029	3.515	1.909
10.5	52.516	-0.356	-0.299	3.389	2.927	2.211	1.242
12	53.119	0.128	-1.066	3.251	3.177	2.007	-0.274
13.5	52.118	-0.359	-1.340	2.624	2.607	1.826	-0.611

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.23-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
16	D2-0.23-8	0.056	0.219	0.00023	2.23	7.59E-03	0.458	1.72E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	-1.000	1.107	1.684	3.183	3.972	1.482	0.439
1.2	1.124	1.488	1.261	4.581	4.957	2.324	3.593
1.7	12.282	-0.444	-0.775	9.071	7.364	3.916	22.309
2.2	28.871	-1.150	-2.285	8.113	5.615	3.041	14.861
2.7	37.058	-1.346	-1.695	5.685	4.644	2.254	5.497
3.2	39.988	-0.990	-1.331	5.391	4.376	2.424	5.419
3.7	41.904	-1.271	-1.293	5.255	4.274	2.555	5.440
4.2	42.811	-0.881	-1.275	5.169	4.173	2.628	5.588
5.2	45.025	-0.725	-1.414	4.988	4.038	2.844	6.382
6.2	45.175	-0.734	-1.054	4.877	4.013	2.787	5.443
7.2	47.480	-0.593	-1.529	5.025	3.698	2.663	5.488
8.2	48.531	-0.541	-1.240	4.528	3.365	2.563	4.930
9.7	50.178	-0.709	-0.881	4.154	3.247	2.455	2.940
11.2	51.851	-0.413	-1.226	3.587	2.863	2.148	1.946
12.7	52.941	-0.548	-1.523	3.097	2.704	1.968	0.399
14.2	52.472	-0.795	-1.601	2.808	2.712	1.901	-0.387
15.7	40.500	-2.297	1.640	7.298	3.544	1.838	-0.387

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
17	D3-0.23-1	0.061	0.233	0.00023	3.38	1.25E-02	0.475	3.22E-03	2.86E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	0.613	1.009	-1.605	9.490	9.344	5.120	23.661
1.3	6.411	0.349	-2.343	10.477	9.282	5.483	28.931
1.8	11.887	0.429	-3.216	11.163	9.710	5.624	33.737
2.3	19.682	-0.069	-3.817	11.450	9.355	5.446	33.841
2.8	27.696	-0.207	-4.209	11.296	8.231	5.038	33.365
3.3	34.422	-0.233	-4.376	9.665	6.711	4.328	21.737
3.8	41.124	-0.272	-4.402	7.947	5.461	3.584	12.943
4.3	43.882	-0.082	-4.014	6.201	4.732	3.045	6.987
5.3	47.612	-0.229	-3.276	5.325	4.289	2.770	4.724
6.3	49.549	-0.219	-2.947	5.341	4.175	2.794	5.652
7.3	51.191	-0.269	-2.612	5.201	4.143	2.811	5.479
8.3	50.684	-0.229	-1.596	5.124	4.221	2.818	5.158
9.3	48.619	-3.713	-1.237	10.194	13.592	4.242	-24.153
10.8	53.797	-0.231	-0.665	4.890	3.942	2.728	3.866
12.3	57.299	-0.333	-1.770	4.336	3.371	2.662	3.723
13.8	58.187	-0.573	-1.603	3.829	3.229	2.541	1.349
15.3	57.069	-0.751	-1.507	3.606	3.211	2.442	-0.772

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
18	D3-0.23-2	0.061	0.225	0.00023	3.27	1.11E-02	0.499	2.86E-03	3.32E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	18.077	-0.058	-0.122	9.249	9.399	4.832	18.183
1.1	21.611	-0.299	-0.598	10.328	9.212	5.506	28.600
1.6	25.403	0.215	-1.260	10.541	8.630	5.598	32.734
2.1	30.140	-0.081	-1.847	10.564	7.647	5.197	30.607
2.6	34.360	0.010	-2.121	9.749	6.869	4.538	23.479
3.1	39.335	0.042	-2.297	8.091	5.880	3.914	14.720
3.6	41.656	-0.255	-2.094	7.151	5.254	3.478	10.331
4.1	43.097	-0.147	-1.982	5.723	4.600	2.937	5.727
4.6	44.210	-0.047	-1.752	5.740	4.325	2.894	6.394
5.6	46.957	-0.205	-1.381	5.394	4.028	2.828	5.935
6.6	48.469	-0.140	-1.372	5.261	4.013	2.751	6.025
7.6	50.257	-0.289	-1.380	5.175	3.848	2.809	6.474
8.6	50.186	-0.293	-0.593	4.796	4.055	2.728	4.884
10.1	52.194	-0.188	-0.071	5.150	3.898	2.779	5.400
11.6	55.803	-0.360	-1.438	4.111	3.221	2.523	2.684
13.1	56.858	-0.560	-1.566	3.564	3.173	2.394	0.719
14.6	56.921	-0.525	-1.634	3.381	3.105	2.241	-0.322
16.1	56.239	-0.694	-1.485	3.285	3.129	2.135	-1.074

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
19	D3-0.23-3	0.061	0.217	0.00023	1.83	6.83E-03	0.514	2.29E-03	4.12E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	31.188	-0.605	1.123	7.531	7.622	4.011	11.047
1.2	34.227	-0.453	0.447	8.188	7.159	4.238	15.114
1.7	36.066	-0.113	0.296	8.470	6.732	4.428	17.314
2.2	38.912	-0.269	0.091	8.494	6.320	4.198	18.299
2.7	40.790	-0.480	-0.183	8.238	6.071	3.928	14.578
3.2	43.718	-0.476	-0.337	7.344	5.463	3.507	10.852
3.7	45.522	-0.699	-0.270	6.652	4.911	3.258	8.774
4.2	47.327	-0.531	-0.188	6.122	4.722	3.166	7.716
4.7	48.517	-0.492	-0.310	5.671	4.447	3.052	6.575
5.7	49.878	-0.527	-0.245	5.490	4.100	2.818	6.454
6.7	52.029	-0.571	-0.335	5.237	3.745	2.718	5.838
7.7	52.542	-0.610	-0.213	4.986	3.743	2.780	5.469
9.2	54.049	-0.630	0.789	4.821	3.468	2.301	3.807
10.7	56.239	-0.078	-0.622	4.054	3.276	2.491	2.314
12.2	56.786	-0.468	-1.327	3.151	2.665	2.179	0.697
13.7	56.031	-0.301	-1.466	3.076	2.737	2.127	-0.842
15.2	54.782	-0.161	-1.541	2.960	2.787	1.948	-1.309

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
20	D3-0.23-4	0.061	0.211	0.00023	1.38	5.43E-03	0.531	2.08E-03	4.73E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	36.765	-0.755	1.208	6.833	6.759	3.004	6.877
1.1	38.911	-0.576	0.916	7.004	6.507	3.724	8.921
1.6	40.230	-0.827	1.036	7.320	6.280	3.952	13.082
2.1	42.204	-0.363	0.787	7.445	5.866	3.977	13.130
2.6	43.291	-0.401	0.715	7.329	5.677	3.985	13.747
3.1	45.616	-0.459	0.283	7.128	5.298	3.542	12.109
3.6	46.636	-0.584	0.357	7.114	5.037	3.436	11.875
4.1	48.484	-0.526	0.096	6.372	4.695	3.267	9.213
4.6	49.767	-0.515	0.023	5.827	4.542	3.033	7.123
5.1	51.060	-0.574	0.060	5.540	4.276	2.952	6.923
6.1	52.657	-0.535	-0.074	4.897	3.964	2.754	4.906
7.1	54.181	-0.465	-0.021	4.765	3.585	2.610	4.679
8.6	54.795	-0.556	0.748	4.665	3.440	2.465	4.132
10.1	55.684	-0.335	0.166	4.184	3.335	2.568	3.292
11.6	57.707	0.060	-1.068	3.302	3.069	2.175	0.326
13.1	57.225	-0.397	-1.383	2.903	2.675	2.060	-0.852
14.6	56.299	-0.132	-1.542	2.817	2.657	1.928	-0.811

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
21	D3-0.23-5	0.061	0.205	0.00023	1.11	4.58E-03	0.541	1.96E-03	5.20E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	40.123	-0.744	0.919	6.328	5.767	2.549	5.386
1.1	41.758	-0.900	0.894	6.702	5.772	3.290	8.545
1.6	43.656	-0.637	0.800	6.796	5.730	3.535	9.968
2.1	44.967	-0.614	0.663	6.776	5.514	3.649	10.560
2.6	46.208	-0.781	0.593	6.820	5.400	3.672	10.693
3.1	48.005	-0.635	0.263	6.819	5.053	3.548	11.098
3.6	48.760	-0.535	0.125	6.476	4.892	3.440	10.013
4.1	50.881	-0.690	0.006	6.404	4.555	3.301	9.989
4.6	51.857	-0.616	-0.130	5.925	4.362	3.136	8.086
5.6	53.995	-0.672	-0.271	5.057	3.918	2.868	5.714
6.6	55.254	-0.691	-0.188	4.800	3.600	2.749	4.768
8.1	56.796	-0.650	-0.356	4.240	3.244	2.629	3.622
9.6	46.780	-0.931	2.789	18.816	3.280	4.297	1.917
11.1	58.141	-0.420	-0.950	3.456	2.920	2.395	0.211
12.6	57.183	-0.366	-1.523	3.009	2.839	2.132	-1.187
14.1	56.117	-0.366	-1.762	2.937	2.791	2.029	-1.173

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
22	D3-0.23-6	0.061	0.201	0.00023	0.94	4.17E-03	0.551	1.87E-03	6.33E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	43.202	-0.698	0.639	6.039	5.457	2.410	5.412
1.2	45.439	-0.550	0.448	6.015	5.422	2.950	6.067
1.7	46.678	-0.688	0.402	6.123	5.222	3.287	7.911
2.2	46.827	-0.595	0.463	6.157	5.218	3.373	8.289
2.7	48.274	-0.640	0.264	6.351	5.062	3.433	8.918
3.2	49.880	-0.833	0.016	6.358	4.821	3.293	9.134
3.7	50.877	-0.485	-0.008	6.283	4.672	3.317	9.422
4.2	52.290	-0.685	-0.201	6.060	4.531	3.155	8.509
4.7	52.999	-0.604	-0.130	5.671	4.260	3.112	8.030
5.2	53.714	-0.563	-0.303	5.546	4.056	2.988	6.799
6.2	55.308	-0.494	-0.197	4.535	3.641	2.648	4.354
7.7	57.084	-0.447	-0.338	3.903	3.173	2.468	2.593
9.2	56.020	-0.132	0.809	4.024	3.093	2.744	1.551
10.7	57.604	-0.450	-0.252	3.285	2.806	2.271	0.509
12.2	58.340	-0.099	-0.799	3.319	3.332	2.157	-0.579
13.7	57.709	-0.628	-0.909	3.016	2.792	2.062	-1.271

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
23	D3-0.23-7	0.061	0.199	0.00023	0.83	3.58E-03	0.554	1.82E-03	9.40E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	42.284	-0.734	0.243	6.051	5.208	2.014	4.611
1	44.864	-0.841	0.395	5.828	4.985	2.405	4.907
1.5	46.271	-0.726	0.361	5.817	4.981	2.824	6.625
2	47.657	-0.658	0.141	5.783	4.974	3.043	7.288
2.5	48.041	-0.509	0.220	5.958	5.082	3.203	7.578
3	49.361	-0.606	0.111	5.948	4.925	3.257	8.173
3.5	51.061	-0.698	-0.258	5.796	4.550	3.142	7.308
4	51.513	-0.508	-0.236	5.816	4.467	3.214	8.336
4.5	52.360	-0.654	-0.340	5.778	4.315	3.107	8.299
5	53.673	-0.490	-0.507	5.523	4.107	2.970	7.196
6	55.131	-0.546	-0.546	5.002	3.725	2.743	4.897
7.5	57.040	-0.555	-0.746	4.269	3.419	2.457	3.179
9	-41.919	-1.156	-2.427	5.951	2.789	1.882	3.660
10.5	58.003	-0.568	-0.315	3.652	3.042	2.368	1.163
12	58.517	-0.357	-1.088	3.279	3.233	2.127	-0.325
13.5	57.805	-0.848	-1.016	2.951	2.915	1.994	-0.863

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.23-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
24	D3-0.23-8	0.061	0.219	0.00023	3.90	1.35E-02	0.504	2.37E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.9	0.245	1.101	1.858	4.035	3.881	1.569	-0.606
1.4	-0.208	0.527	2.319	4.371	4.792	2.227	0.175
1.9	5.683	0.398	1.537	8.019	7.049	3.943	13.204
2.4	20.885	-0.629	-0.520	12.653	9.155	5.113	39.027
2.9	37.477	-2.034	-1.366	9.118	5.862	3.315	15.522
3.4	44.262	-1.702	-0.653	6.128	4.915	2.693	6.344
3.9	46.244	-1.500	-0.467	6.061	4.741	2.878	7.450
4.4	48.189	-1.200	-0.595	5.773	4.743	2.887	6.197
5.4	50.585	-1.086	-1.085	5.694	4.466	3.105	7.607
6.4	50.429	-0.822	-0.730	5.304	4.500	3.204	6.711
7.4	53.437	-0.800	-1.354	5.761	3.996	3.030	7.944
8.4	55.575	-0.727	-1.609	4.960	3.812	2.871	5.622
9.9	55.642	-0.636	-1.055	4.753	3.698	2.938	5.153
11.4	49.287	-0.588	-2.774	16.928	3.649	6.145	2.830
12.9	59.939	-0.714	-2.109	3.528	2.852	2.309	0.507
14.4	59.055	-0.765	-2.372	3.473	3.087	2.350	0.390

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
25	D1-0.44-1	0.056	0.234	0.00044	3.11	1.08E-02	0.480	2.71E-03	9.55E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	2.997	2.366	-1.589	7.934	7.823	4.228	14.698
1	7.629	1.708	-2.197	9.172	8.229	4.745	21.551
1.5	13.412	1.434	-3.026	10.455	8.627	5.098	29.318
2	20.289	0.609	-3.984	10.880	8.470	5.151	31.057
2.5	26.183	0.152	-4.122	10.364	7.445	4.685	28.297
3	32.982	-0.092	-4.561	8.816	6.054	3.750	17.309
3.5	38.672	-0.078	-4.538	7.058	5.104	3.199	10.357
4	41.987	0.075	-4.058	6.049	4.415	2.758	6.636
4.5	43.795	-0.050	-3.819	5.734	4.209	2.678	5.807
5	45.813	0.086	-3.543	5.263	4.127	2.670	5.411
6	47.142	-0.198	-3.024	5.012	4.069	2.639	4.847
7	48.023	0.020	-2.603	5.082	4.024	2.723	5.495
8	49.797	0.595	-2.336	4.897	4.305	2.678	5.187
9	50.090	-0.142	-1.290	4.970	4.075	2.664	4.409
10.5	51.072	-6.405	-0.489	4.659	19.287	2.632	4.151
12	55.200	0.029	-2.130	4.031	3.117	2.364	3.334
13.5	55.937	-0.144	-1.905	3.578	2.977	2.223	2.251
15	56.005	-0.532	-1.755	3.195	2.976	1.994	0.235

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
26	D1-0.44-2	0.056	0.226	0.00044	2.12	8.15E-03	0.453	2.46E-03	1.40E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	19.774	1.755	-0.303	8.585	8.248	4.600	18.090
1.3	21.591	1.283	-0.778	8.877	7.708	4.743	20.747
1.8	24.886	1.013	-1.113	9.157	7.314	4.681	21.212
2.3	28.497	0.571	-1.317	8.886	6.594	4.228	19.441
2.8	32.072	0.167	-1.603	7.990	5.815	3.849	15.248
3.3	34.892	-0.182	-1.678	7.628	5.304	3.460	11.965
3.8	37.311	-0.362	-1.736	6.176	4.782	3.078	7.354
4.3	38.914	-0.375	-1.518	5.828	4.532	3.010	6.406
4.8	39.765	-0.249	-1.353	5.363	4.322	2.839	5.788
5.3	40.956	-0.392	-1.197	5.159	4.235	2.920	5.715
5.8	41.285	-0.353	-0.942	5.121	4.200	2.899	5.938
6.8	42.911	-0.355	-0.725	4.667	4.108	2.787	4.771
7.8	43.509	-0.426	-0.459	4.904	4.110	2.855	5.362
8.8	44.496	-0.306	-0.078	4.898	4.266	2.776	4.567
10.3	47.374	-0.825	-1.850	6.460	5.477	3.876	4.116
11.8	50.280	-0.326	-1.118	4.152	3.171	2.477	3.666
13.3	51.882	-0.302	-1.281	3.524	2.878	2.284	1.977
14.8	52.096	-0.487	-1.160	3.226	2.927	2.112	0.485

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
27	D1-0.44-3	0.056	0.218	0.00044	1.53	6.11E-03	0.499	2.23E-03	3.03E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	29.991	1.061	1.160	7.391	7.036	3.318	8.770
1.1	32.416	1.155	0.697	7.514	6.769	3.883	10.931
1.6	33.982	0.848	0.403	7.984	6.437	4.115	15.276
2.1	36.543	0.618	-0.072	7.940	6.107	4.029	15.007
2.6	39.443	0.398	-0.209	7.690	5.650	3.784	13.451
3.1	41.450	0.220	-0.244	7.062	5.218	3.353	9.914
3.6	43.496	0.114	-0.339	6.244	4.751	3.152	8.344
4.1	44.589	-0.098	-0.392	5.882	4.654	2.961	6.253
4.6	46.280	0.109	-0.275	5.342	4.239	2.814	5.337
5.1	47.230	0.023	-0.285	5.079	4.079	2.822	5.219
5.6	47.348	-0.109	-0.001	5.137	3.995	2.765	5.496
6.6	48.579	-0.214	-0.135	5.046	3.927	2.777	5.839
7.6	50.198	-0.361	-0.075	4.652	3.727	2.645	4.966
8.6	51.545	-0.382	-0.401	4.853	3.720	2.690	5.571
10.1	51.349	-0.275	0.314	4.808	3.512	2.862	5.531
11.6	54.786	0.032	-0.736	3.517	3.091	2.177	1.448
13.1	55.270	0.053	-0.978	3.184	2.885	2.050	-0.369
14.6	54.131	-0.121	-1.050	3.222	3.056	2.013	-1.404

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
28	D1-0.44-4	0.056	0.212	0.00044	0.98	4.09E-03	0.494	1.77E-03	3.86E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	35.034	-0.144	1.430	5.993	5.542	2.553	5.049
1.2	37.616	0.172	0.976	6.064	5.503	3.133	6.504
1.7	38.965	0.309	0.710	6.671	5.173	3.240	9.058
2.2	39.872	0.115	0.657	6.567	5.117	3.440	9.758
2.7	40.429	0.037	0.788	6.319	5.111	3.529	9.280
3.2	42.798	0.116	0.456	6.203	4.735	3.140	8.677
3.7	44.677	-0.117	0.220	5.539	4.484	2.953	6.326
4.2	45.809	-0.231	0.103	5.257	4.132	2.811	5.762
4.7	46.061	-0.251	0.215	5.205	3.980	2.715	5.584
5.2	47.837	-0.267	0.155	4.588	3.730	2.527	4.175
5.7	48.515	-0.186	0.162	4.529	3.748	2.541	4.091
6.7	49.790	-0.180	0.177	4.363	3.406	2.387	3.421
7.7	49.140	-0.132	0.702	4.321	3.505	2.606	3.824
8.7	50.624	-0.213	0.662	4.021	3.407	2.504	3.447
10.2	51.765	-0.365	0.735	4.014	3.273	2.489	3.131
11.7	54.127	0.551	-0.327	3.493	3.136	2.282	0.571
13.2	53.385	-0.073	-0.812	2.966	2.999	2.037	-0.408
14.7	52.321	0.134	-1.203	2.723	2.628	1.830	-1.066

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
29	D1-0.44-5	0.056	0.206	0.00044	0.94	3.81E-03	0.516	1.60E-03	4.29E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	35.989	0.544	0.620	5.821	5.224	2.032	4.657
0.9	38.866	0.086	0.566	5.852	5.238	2.658	5.057
1.4	40.314	0.249	0.468	6.141	5.152	3.036	7.254
1.9	41.513	0.284	0.452	6.081	4.977	3.197	7.768
2.4	42.620	-0.036	0.408	6.283	5.003	3.422	9.402
2.9	44.531	0.154	0.123	5.995	4.631	3.208	8.060
3.4	45.632	-0.074	0.017	5.900	4.467	3.204	8.598
3.9	46.866	-0.270	-0.135	5.421	4.348	2.974	6.888
4.4	48.035	-0.077	-0.206	5.502	4.074	2.895	7.049
4.9	49.156	-0.381	-0.280	4.901	3.833	2.685	5.497
5.9	50.870	-0.333	-0.309	4.360	3.479	2.474	3.968
6.9	52.521	-0.394	-0.161	3.931	3.105	2.281	2.856
7.9	52.755	0.093	-0.143	3.813	3.368	2.244	2.592
9.4	54.142	-0.487	-0.049	3.417	2.863	2.159	2.101
10.9	55.401	-0.040	-0.215	3.309	2.647	2.098	1.334
12.4	54.998	0.117	-0.680	2.901	2.696	1.906	-0.093
13.9	54.563	-0.121	-1.076	2.728	2.621	1.784	-1.122

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
30	D1-0.44-6	0.056	0.202	0.00044	0.73	3.09E-03	0.500	1.61E-03	5.27E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	36.308	0.270	0.634	5.593	4.904	1.871	4.412
1.1	38.959	0.259	0.478	5.404	4.807	2.281	4.257
1.6	40.540	0.269	0.306	5.399	4.676	2.718	5.607
2.1	41.342	0.310	0.301	5.527	4.618	2.850	6.159
2.6	42.057	0.140	0.304	5.510	4.726	3.027	6.668
3.1	43.661	0.227	0.024	5.415	4.515	2.978	6.480
3.6	44.129	-0.009	0.067	5.613	4.295	2.977	7.286
4.1	45.313	0.001	-0.076	5.470	4.174	2.956	7.322
4.6	46.315	-0.168	-0.250	5.343	4.201	2.898	6.986
5.1	47.832	-0.006	-0.469	5.164	3.997	2.716	5.803
5.6	47.979	-0.081	-0.431	4.738	3.917	2.665	4.904
6.6	49.945	-0.148	-0.487	4.488	3.571	2.562	4.460
7.6	50.445	-0.178	-0.237	4.205	3.288	2.487	4.115
8.6	50.123	-0.299	0.217	4.157	3.450	2.558	3.988
10.1	51.223	-0.312	0.134	3.904	3.167	2.494	3.161
11.6	54.163	-0.008	-0.431	3.480	2.826	2.045	1.034
13.1	53.871	-0.303	-0.865	2.769	2.498	1.920	-0.045

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
31	D1-0.44-7	0.056	0.200	0.00044	0.63	2.86E-03	0.517	1.83E-03	6.19E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	40.531	0.134	-0.001	5.435	4.571	2.046	4.662
1.1	42.900	0.146	-0.020	5.263	4.431	2.299	4.746
1.6	44.041	0.030	0.031	5.441	4.475	2.525	5.264
2.1	43.856	0.209	0.205	5.360	4.567	2.742	5.647
2.6	44.808	0.217	0.223	4.986	4.308	2.858	5.096
3.1	46.775	0.062	-0.286	5.254	4.299	2.864	6.336
3.6	47.822	0.172	-0.398	5.114	4.076	2.753	5.378
4.1	48.790	0.097	-0.440	5.052	3.966	2.705	5.513
4.6	48.958	0.036	-0.448	5.075	3.936	2.715	5.538
5.1	49.944	0.030	-0.492	4.684	3.760	2.621	4.561
6.1	51.161	0.017	-0.311	4.325	3.635	2.471	3.744
7.1	50.968	0.210	0.015	4.268	3.632	2.568	3.897
8.1	52.328	0.320	0.023	4.819	4.973	2.639	3.210
9.6	50.239	0.336	-0.853	4.392	3.984	2.457	2.232
11.1	54.038	0.097	0.139	3.966	2.996	2.276	1.253
12.6	55.527	0.223	-0.236	4.519	5.028	2.438	-0.444
13.6	54.220	0.233	-0.603	4.308	5.388	2.394	-0.251

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.44-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
32	D1-0.44-8	0.056	0.220	0.00044	2.16	7.78E-03	0.456	2.05E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	-2.079	0.998	1.825	2.938	3.032	1.272	0.615
1	-2.819	0.342	2.375	3.629	3.574	1.807	1.301
1.5	0.770	0.887	1.827	4.931	5.080	2.528	3.656
2	10.759	0.990	0.425	8.914	7.714	4.087	21.005
2.5	26.228	0.899	-1.180	9.574	6.422	3.619	21.582
3	36.695	0.570	-1.142	6.273	4.506	2.554	7.123
3.5	40.138	0.421	-0.998	5.513	4.438	2.560	5.859
4	41.702	0.390	-1.085	5.476	4.430	2.677	5.955
4.5	42.855	0.154	-1.192	5.165	4.433	2.901	6.051
5	43.349	0.041	-1.089	5.374	4.296	2.929	6.600
6	45.721	0.053	-1.460	5.299	4.183	2.946	6.397
7	47.168	-0.030	-1.490	5.226	3.876	2.837	6.153
8	48.508	0.036	-1.398	4.813	3.678	2.688	5.567
9.5	49.658	-0.090	-0.887	4.298	3.518	2.655	4.334
11	51.788	-0.094	-1.083	3.836	2.906	2.226	2.387
12.5	53.523	-0.021	-1.252	3.386	2.696	1.950	1.199
14	53.286	-0.040	-1.224	2.905	2.712	1.872	-0.043
15.5	53.680	0.381	-1.254	4.240	2.819	2.065	2.341

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
33	D2-0.44-1	0.061	0.232	0.00044	3.77	1.29E-02	0.496	3.19E-03	1.93E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	2.463	2.200	-1.184	8.761	8.874	4.611	17.938
1	6.936	1.897	-2.270	10.155	9.435	5.288	24.491
1.5	14.092	1.579	-3.729	11.181	9.696	5.620	34.361
2	20.169	0.754	-4.201	11.845	9.333	5.590	37.735
2.5	26.941	0.039	-4.606	11.280	8.045	4.998	32.227
3	34.508	-0.247	-4.989	9.884	6.666	4.254	22.925
3.5	39.197	-0.376	-4.890	7.918	5.876	3.555	13.133
4	42.919	-0.496	-4.651	6.934	5.215	3.140	8.981
4.5	45.125	-0.418	-4.248	6.246	4.673	3.024	7.414
5	45.674	-0.233	-3.877	5.818	4.850	3.009	6.319
6	47.631	-0.081	-3.359	5.718	4.501	3.034	6.939
7	49.180	-0.171	-3.064	5.499	4.362	3.036	6.636
8	49.672	-0.096	-2.347	5.412	4.363	3.018	6.604
9	51.855	-0.031	-2.115	5.507	4.105	2.912	6.219
10.5	51.924	-0.037	-1.291	5.170	3.830	2.895	4.895
12	56.939	-0.062	-2.107	4.004	3.194	2.278	2.514
13.5	57.689	-0.329	-1.798	3.546	3.146	2.193	0.830
15	58.348	-0.403	-1.587	3.509	3.136	2.049	0.718
16.5	58.031	-0.688	-1.250	3.799	3.266	1.954	0.209

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
34	D2-0.44-2	0.061	0.224	0.00044	2.23	8.71E-03	0.503	2.78E-03	3.57E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	23.228	2.308	-0.300	9.303	8.119	4.664	20.551
1.3	26.949	1.811	-1.216	9.500	7.724	4.736	21.195
1.8	30.574	1.303	-1.454	9.275	7.134	4.530	22.311
2.3	33.892	0.890	-1.851	8.771	6.502	4.194	18.278
2.8	37.356	0.685	-1.986	7.994	5.984	3.633	12.318
3.3	40.015	0.579	-1.969	6.982	5.400	3.299	9.168
3.8	41.628	0.396	-1.505	6.369	5.041	3.168	7.487
4.3	43.214	0.221	-1.336	5.874	4.920	3.180	7.003
4.8	44.660	0.208	-1.422	5.784	4.789	3.103	6.799
5.3	45.744	0.306	-1.322	5.607	4.617	3.045	6.603
6.3	46.867	0.034	-1.020	5.392	4.418	3.074	6.085
7.3	48.743	0.123	-0.982	5.694	4.271	3.153	7.725
8.3	48.763	0.077	-0.330	5.623	4.337	3.078	7.144
9.8	50.585	-0.083	-0.076	5.221	4.353	2.979	5.210
11.3	52.337	0.042	0.292	5.273	4.087	2.883	5.888
12.8	57.049	0.112	-1.266	4.092	3.213	2.441	2.773
14.3	57.286	0.517	-1.120	3.645	3.445	2.246	1.496
15.8	57.428	-0.354	-0.873	3.222	3.180	1.985	0.094

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
35	D2-0.44-3	0.061	0.216	0.00044	1.95	7.19E-03	0.524	2.56E-03	4.23E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	32.144	1.348	0.995	7.590	7.575	3.609	10.121
1.1	34.186	1.076	0.824	8.199	7.491	4.353	15.562
1.6	36.334	0.824	0.542	8.567	6.997	4.628	19.522
2.1	38.719	0.523	-0.015	8.318	6.441	4.314	17.344
2.6	41.094	0.273	-0.182	8.035	5.999	4.041	15.354
3.1	42.917	0.134	-0.263	7.758	5.790	3.763	13.969
3.6	46.298	0.055	-0.480	6.506	5.027	3.334	8.192
4.1	47.713	0.040	-0.469	5.874	4.774	3.079	7.075
4.6	48.663	-0.044	-0.294	5.862	4.543	2.938	6.020
5.1	49.282	-0.085	-0.128	5.595	4.398	2.989	6.072
5.6	50.450	-0.097	-0.212	5.307	4.450	2.910	5.466
6.6	51.875	-0.189	-0.238	5.061	4.117	2.806	5.141
7.6	52.989	-0.306	0.017	4.913	3.959	2.753	4.759
8.6	52.437	-0.654	0.330	5.093	4.540	2.773	4.809
10.1	56.604	-0.356	-0.859	4.703	4.072	2.657	1.150
11.6	56.996	-0.114	-0.593	4.314	3.605	2.540	2.754
13.1	57.782	-0.173	-0.818	3.772	3.346	2.370	1.213
14.6	57.294	-0.158	-0.986	3.428	3.256	2.152	-0.874
16.1	56.215	-0.059	-1.038	3.267	3.244	2.130	-1.466

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
36	D2-0.44-4	0.061	0.210	0.00044	1.29	5.34E-03	0.549	2.09E-03	6.21E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	39.278	0.788	1.055	6.864	6.162	2.886	7.025
1.2	41.159	0.397	0.769	7.023	6.210	3.544	9.567
1.7	42.834	0.322	0.589	7.452	6.012	3.891	11.823
2.2	44.523	0.378	0.508	7.356	5.674	3.844	12.921
2.7	45.942	0.132	0.324	7.110	5.541	3.775	12.304
3.2	47.905	-0.047	0.249	7.017	5.282	3.567	11.272
3.7	49.723	-0.103	0.001	6.408	4.756	3.304	9.391
4.2	50.784	-0.274	0.077	6.113	4.725	3.249	8.891
4.7	52.545	-0.322	-0.053	5.433	4.237	2.886	5.680
5.2	52.976	-0.179	0.075	5.155	4.165	2.895	5.180
5.7	53.850	-0.230	-0.024	4.955	3.988	2.785	5.471
6.7	55.165	-0.134	0.105	4.547	3.729	2.721	4.609
7.7	55.669	0.026	0.199	4.658	3.808	2.709	4.178
8.7	56.434	-0.256	0.457	4.388	3.731	2.697	4.147
10.2	57.207	-0.469	0.352	4.503	2.921	2.708	4.105
11.7	59.421	0.119	-0.498	4.009	3.025	2.378	0.444
13.2	59.088	0.179	-1.198	3.079	3.130	2.038	-0.700
14.7	58.061	0.055	-1.203	2.880	2.792	1.998	-0.882

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
37	D2-0.44-5	0.061	0.204	0.00044	1.11	4.39E-03	0.557	2.02E-03	7.31E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	39.482	0.460	0.505	6.417	5.802	2.201	5.279
0.9	42.277	0.554	0.677	6.433	5.644	2.954	7.219
1.4	44.655	0.600	0.539	6.689	5.666	3.295	8.172
1.9	45.433	0.381	0.506	6.688	5.517	3.543	9.454
2.4	46.760	0.193	0.381	6.679	5.430	3.714	11.075
2.9	49.245	0.151	0.144	6.349	4.979	3.539	10.393
3.4	50.091	-0.152	-0.167	6.496	4.868	3.400	9.656
3.9	51.678	-0.219	-0.175	6.105	4.711	3.262	8.645
4.4	52.894	-0.127	-0.211	5.848	4.505	3.166	7.902
4.9	53.753	-0.193	-0.274	5.372	4.319	2.902	6.588
5.4	54.708	-0.173	-0.386	5.141	3.942	2.875	6.088
6.4	55.722	-0.242	-0.129	4.760	3.699	2.764	4.646
7.4	56.468	-0.389	0.241	4.290	3.776	2.619	3.665
8.4	57.340	-0.229	-0.215	4.348	3.533	2.697	3.734
9.9	57.601	-0.406	0.380	3.867	3.484	2.937	7.892
11.4	60.044	0.316	-0.270	3.896	3.691	2.488	0.640
12.9	59.666	-0.109	-1.281	3.445	3.210	2.168	-0.485
14.4	58.453	0.042	-1.565	3.087	2.928	1.952	-1.680

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
38	D2-0.44-6	0.061	0.200	0.00044	0.95	3.94E-03	0.556	1.88E-03	7.72E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	40.594	0.546	0.672	6.095	5.438	2.068	5.000
1.1	43.108	0.436	0.532	5.996	5.306	2.648	6.080
1.6	45.476	0.311	0.452	6.324	5.438	3.029	7.499
2.1	46.546	0.427	0.177	6.052	5.072	3.145	7.540
2.6	47.601	0.312	0.210	6.080	5.054	3.401	8.423
3.1	48.123	0.207	0.116	6.294	5.021	3.418	9.473
3.6	49.428	0.148	-0.082	6.105	4.887	3.421	9.329
4.1	51.057	0.252	-0.229	5.897	4.763	3.296	8.412
4.6	51.969	0.032	-0.490	5.834	4.448	3.143	8.235
5.1	52.719	0.161	-0.562	5.470	4.370	3.099	7.183
5.6	53.637	-0.062	-0.511	5.220	4.078	3.003	6.484
6.6	55.258	-0.061	-0.500	4.912	3.804	2.791	5.168
7.6	55.631	-0.125	-0.331	4.606	3.673	2.681	4.271
9.1	56.212	-0.189	0.107	4.517	3.621	2.653	4.217
10.6	58.850	0.041	-0.585	3.668	2.959	2.457	2.768
12.1	60.395	0.081	-1.062	3.523	3.096	2.140	0.570
13.6	59.634	-0.104	-1.612	2.716	2.538	1.995	-0.292
14.6	59.103	-0.188	-1.436	2.722	2.562	2.026	-0.561

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
39	D2-0.44-7	0.061	0.198	0.00044	0.74	3.36E-03	0.564	2.14E-03	1.04E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	44.465	-0.014	-0.046	6.022	5.122	2.185	5.516
1.2	46.433	0.102	-0.037	5.798	4.920	2.640	6.109
1.7	48.084	0.048	-0.041	5.528	4.722	2.788	6.170
2.2	48.826	-0.095	-0.129	5.732	4.677	2.956	6.508
2.7	49.747	-0.081	-0.293	5.685	4.753	3.133	6.934
3.2	50.873	0.129	-0.317	5.591	4.558	3.095	6.674
3.7	51.971	-0.149	-0.436	5.439	4.462	2.944	6.414
4.2	52.984	-0.007	-0.539	5.637	4.269	2.943	7.390
4.7	53.775	-0.073	-0.706	5.460	4.141	2.873	6.164
5.2	54.601	0.028	-0.669	5.272	4.091	2.937	6.436
6.2	55.716	-0.165	-0.484	5.010	3.834	2.732	5.643
7.2	56.889	0.308	-0.274	4.316	3.804	2.595	3.807
8.2	57.272	0.108	0.055	4.476	3.567	2.442	3.715
9.7	58.743	0.116	-0.240	4.035	3.330	2.536	2.369
11.2	60.097	0.370	-0.742	4.054	3.419	2.509	1.128
12.7	60.113	-0.002	-1.166	4.177	3.648	2.566	-0.107
13.7	58.966	0.172	-1.717	3.776	3.878	2.378	-0.967

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.44-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
40	D2-0.44-8	0.061	0.218	0.00044	2.70	9.61E-03	0.494	2.51E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	-1.578	0.735	1.730	2.980	3.162	1.151	-0.436
1	-3.364	0.588	2.559	3.863	3.969	1.923	1.237
1.5	0.762	1.621	1.927	5.453	5.703	2.754	4.288
2	12.676	2.048	0.115	10.105	8.410	4.395	27.008
2.5	30.698	1.061	-1.404	10.753	6.854	3.847	26.364
3	40.631	0.893	-1.278	6.696	4.959	2.681	8.109
3.5	44.178	0.620	-1.087	6.022	4.870	2.785	7.177
4	46.322	0.630	-1.182	5.919	4.878	2.878	7.184
4.5	47.582	0.511	-1.332	5.775	4.873	3.058	7.952
5	48.189	0.476	-1.221	5.719	4.760	3.122	7.513
6	50.334	0.365	-1.504	5.720	4.401	3.194	7.950
7	51.703	0.235	-1.527	5.667	4.250	3.186	7.838
8	52.814	0.130	-1.393	5.520	4.079	3.042	7.350
9.5	54.715	-0.156	-1.145	4.880	3.689	2.749	4.922
11	56.135	-0.039	-0.915	4.413	3.422	2.644	3.730
12.5	58.408	-0.051	-1.257	3.733	3.088	2.190	1.465
14	58.530	-0.069	-1.337	3.286	3.083	2.046	0.366
15.5	57.373	-0.341	-0.886	4.802	3.196	2.013	1.338

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
41	D3-0.44-1	0.067	0.231	0.00044	3.86	1.51E-02	0.536	3.72E-03	3.08E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	4.024	3.443	-1.395	9.349	9.564	4.702	19.828
1	8.655	1.962	-2.845	11.190	10.311	5.734	32.348
1.5	13.483	1.596	-3.444	12.252	10.723	6.004	38.636
2	21.157	0.811	-4.464	12.544	9.909	5.802	38.436
2.5	28.767	0.509	-4.843	11.971	8.773	5.470	38.110
3	35.757	-0.030	-5.328	10.396	7.335	4.550	26.168
3.5	41.661	-0.363	-5.361	8.810	6.272	3.794	15.759
4	45.524	-0.281	-4.993	7.394	5.546	3.327	9.823
4.5	47.769	-0.117	-4.649	6.732	5.298	3.224	8.185
5	48.543	-0.123	-3.877	6.389	5.068	3.260	8.236
6	51.402	-0.172	-3.487	6.295	4.827	3.230	7.867
7	52.768	-0.007	-3.248	5.957	4.718	3.179	7.511
8	54.355	-0.255	-2.723	5.811	4.576	3.173	7.932
9	56.712	0.549	-2.393	6.221	4.618	3.096	7.769
10.5	56.151	0.107	-1.415	5.463	4.311	3.140	6.532
12	60.662	0.087	-2.064	4.550	3.411	2.468	3.358
13.5	62.649	-0.032	-1.909	3.889	3.254	2.112	0.848
15	62.390	-0.218	-1.383	3.599	3.053	2.103	0.594

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
42	D3-0.44-2	0.067	0.223	0.00044	2.86	1.03E-02	0.541	3.25E-03	5.31E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	25.885	2.693	-0.562	9.773	8.988	5.039	22.974
1.3	28.721	2.144	-1.223	10.302	8.461	5.357	28.609
1.8	32.544	1.754	-1.451	10.396	7.984	5.164	27.716
2.3	37.066	0.907	-1.978	9.806	7.224	4.570	21.471
2.8	40.689	0.462	-2.257	8.756	6.520	4.046	14.975
3.3	43.194	0.401	-2.004	7.931	5.921	3.677	12.846
3.8	45.370	0.333	-1.806	6.752	5.515	3.515	9.557
4.3	46.651	0.198	-1.457	6.398	5.306	3.285	7.728
4.8	47.981	0.245	-1.374	6.115	5.106	3.320	8.227
5.3	49.138	0.342	-1.405	6.018	4.992	3.363	8.009
6.3	50.593	0.158	-1.209	6.089	4.805	3.367	8.334
7.3	51.355	0.142	-0.845	6.026	4.719	3.248	7.703
8.3	52.856	0.146	-0.564	5.713	4.782	3.403	7.404
9.8	53.530	-0.093	0.246	5.698	4.567	3.278	6.407
11.3	56.255	0.130	0.276	5.829	4.427	3.268	5.926
12.8	60.779	0.230	-1.287	4.480	3.465	2.729	3.641
14.3	61.388	0.978	-1.211	3.912	3.562	2.388	1.765
15.8	62.046	-0.322	-0.990	3.406	3.220	2.092	-0.307

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
43	D3-0.44-3	0.067	0.215	0.00044	2.18	8.22E-03	0.562	2.79E-03	7.72E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	34.667	1.434	1.063	8.583	8.038	3.884	11.657
1.1	37.084	1.072	0.578	8.932	7.848	4.797	19.463
1.6	39.912	0.711	0.332	9.161	7.406	4.780	19.997
2.1	41.736	0.856	0.055	9.389	6.918	4.660	21.838
2.6	43.411	0.201	-0.020	8.669	6.529	4.353	16.506
3.1	46.870	0.123	-0.363	8.084	5.916	3.975	14.037
3.6	49.104	0.114	-0.318	7.185	5.460	3.528	10.182
4.1	50.649	0.142	-0.388	6.472	5.143	3.269	8.112
4.6	52.002	0.022	-0.415	5.955	4.802	3.100	6.129
5.1	53.064	-0.173	-0.253	5.734	4.796	3.111	6.476
5.6	54.202	-0.079	-0.315	5.764	4.558	3.074	6.855
6.6	55.220	-0.190	-0.242	5.399	4.503	3.048	6.564
7.6	55.472	-0.451	0.490	4.925	4.331	2.940	4.520
8.6	55.921	-0.441	0.271	6.661	4.648	3.399	-0.065
10.1	58.029	-0.153	0.633	5.292	4.131	3.024	3.190
11.6	61.478	-0.136	-0.830	4.198	3.602	2.561	2.176
13.1	62.210	-0.426	-1.599	3.723	3.130	2.252	0.232
14.6	61.803	-0.166	-1.477	3.386	3.132	2.055	-0.874
16.1	61.070	0.025	-1.232	3.254	3.089	2.186	-1.863

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
44	D3-0.44-4	0.067	0.209	0.00044	1.57	6.43E-03	0.589	2.51E-03	1.10E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	41.909	0.548	1.084	7.555	6.948	3.650	10.128
1.2	44.240	0.504	0.774	8.011	6.760	4.124	13.537
1.7	46.047	0.262	0.596	8.158	6.633	4.239	14.681
2.2	47.454	0.026	0.459	8.030	6.318	4.213	15.409
2.7	48.982	-0.003	0.561	7.962	6.066	4.207	15.264
3.2	50.425	-0.049	0.322	7.832	5.618	4.042	15.650
3.7	52.132	-0.331	0.131	7.320	5.380	3.797	12.365
4.2	54.133	-0.164	0.039	6.681	5.110	3.454	9.767
4.7	55.520	-0.415	0.057	6.032	4.740	3.205	7.415
5.2	56.883	-0.299	-0.002	5.694	4.512	3.159	7.002
5.7	57.253	-0.389	0.070	5.468	4.392	3.074	5.781
6.7	58.618	-0.339	0.268	5.036	4.083	2.943	5.653
7.7	59.843	-0.245	0.369	4.995	3.980	2.808	5.215
8.7	59.853	-0.632	1.057	4.753	3.877	2.972	4.668
10.2	61.491	-2.627	-1.723	4.365	3.794	2.745	0.485
11.7	63.585	0.281	-0.443	3.977	3.710	2.517	0.907
13.2	63.522	-0.079	-0.831	3.332	3.040	2.265	-0.517
14.7	62.922	0.008	-0.573	3.244	2.816	2.165	-0.957

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
45	D3-0.44-5	0.067	0.203	0.00044	1.19	5.14E-03	0.602	2.30E-03	1.09E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	42.682	0.675	0.613	6.936	6.136	2.402	6.961
0.9	46.287	0.697	0.795	6.870	6.223	3.180	8.028
1.4	48.332	0.403	0.531	7.034	6.160	3.617	9.518
1.9	49.001	0.059	0.592	7.214	5.993	3.861	11.328
2.4	50.600	0.126	0.194	7.177	5.832	3.873	11.878
2.9	52.126	0.024	0.066	6.991	5.543	3.851	11.281
3.4	54.317	0.075	-0.178	6.614	5.007	3.491	9.544
3.9	55.079	-0.381	-0.140	6.635	5.021	3.517	10.300
4.4	56.559	-0.348	-0.431	6.158	4.716	3.393	9.351
4.9	57.898	-0.352	-0.379	5.621	4.438	3.137	7.218
5.4	58.623	-0.371	-0.412	5.451	4.412	3.039	6.017
6.4	59.761	-0.376	-0.228	5.016	4.007	2.940	6.078
7.4	60.907	-0.337	-0.176	4.772	3.908	2.820	5.248
8.9	61.099	-0.620	0.368	4.557	3.667	2.897	3.948
10.4	66.183	-0.865	-2.217	4.482	3.790	2.668	13.333
11.9	64.421	0.175	-0.772	4.407	3.912	2.438	0.892
13.4	64.098	-0.026	-1.646	3.301	3.100	2.197	-1.221
14.4	63.180	-0.006	-1.728	3.106	2.885	2.016	-1.494

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
46	D3-0.44-6	0.067	0.199	0.00044	1.07	4.52E-03	0.606	2.37E-03	1.36E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	45.450	0.526	0.497	6.899	5.930	2.338	7.003
1	48.372	0.761	0.479	6.720	6.051	2.937	7.307
1.5	50.216	0.481	0.254	6.901	5.563	3.337	9.268
2	50.815	0.474	0.289	6.582	5.659	3.495	8.536
2.5	52.163	0.390	0.223	6.650	5.629	3.662	10.065
3	53.922	0.315	-0.186	6.503	5.310	3.540	9.818
3.5	55.298	0.318	-0.446	6.755	5.126	3.618	10.715
4	55.683	0.137	-0.449	6.356	5.075	3.578	9.977
4.5	56.945	0.179	-0.637	6.405	4.829	3.513	9.801
5	58.597	0.141	-0.820	5.715	4.584	3.252	7.689
5.5	59.455	0.062	-0.818	5.658	4.473	3.280	7.657
6.5	60.183	-0.122	-0.615	5.416	4.186	3.096	6.899
7.5	61.326	-0.006	-0.601	4.925	4.111	2.999	4.968
8.5	62.583	0.197	-0.600	4.696	3.935	2.841	4.409
10	62.792	-0.041	-0.202	4.411	3.485	2.998	4.348
11.5	65.634	0.428	-1.132	3.892	3.001	2.347	0.517
13	64.798	0.132	-1.642	3.134	2.862	2.187	-1.042
14	63.648	-1.002	-1.623	3.184	3.820	2.164	-1.783

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
47	D3-0.44-7	0.067	0.197	0.00044	0.94	4.25E-03	0.616	2.37E-03	1.55E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.7	48.3261	0.3325	0.0371	6.3691	6.2024	2.4287	6.4024
1.2	50.2665	0.3013	0.1302	6.3399	5.7075	2.759	6.83375
1.7	52.5056	-0.0694	-0.3449	6.17	5.334	3.0526	6.8792
2.2	53.4218	0.1032	-0.228	6.2597	5.1825	3.1943	6.98848
2.7	55.0076	0.0042	-0.4605	6.197	5.0192	3.3536	8.54515
3.2	55.844	-0.0547	-0.5889	6.2318	4.8815	3.3674	9.3507
3.7	57.096	-0.0017	-0.7721	5.9542	4.7427	3.248	8.12695
4.2	57.2402	0.0351	-0.6631	5.9619	4.6613	3.2467	9.08205
4.7	58.4239	-0.0974	-0.8257	5.8243	4.3882	3.1715	8.12922
5.2	59.2118	-0.1553	-0.8762	5.7069	4.326	3.1325	7.75366
6.2	61.1951	0.2113	-0.789	5.0277	4.0514	2.8528	5.62573
7.2	61.5914	0.0029	-0.6398	4.9278	4.0576	3.0009	5.45343
8.2	62.2076	0.1793	-0.5339	4.4926	3.7689	2.7133	4.12013
9.7	64.9709	-0.0275	-1.0855	4.3241	3.6184	2.7311	1.9656
11.2	65.1473	0.4561	-1.567	4.1555	3.4678	2.7488	1.97172
12.7	65.7617	-0.2925	-1.7634	4.1445	4.238	2.5444	-1.02354
13.7	64.579	0.0639	-2.1485	3.8432	3.6781	2.34	-1.50129

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.44-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
48	D3-0.44-8	0.067	0.217	0.00044	3.33	1.25E-02	0.548	2.95E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	-3.708	1.032	1.850	3.724	3.614	1.501	1.285
1	-4.070	1.363	2.689	4.315	4.379	2.137	2.081
1.5	1.251	1.906	1.994	6.554	6.611	3.243	6.898
2	13.854	1.976	0.223	11.493	9.722	4.867	33.315
2.5	34.352	1.009	-1.619	12.110	7.516	4.218	32.459
3	45.952	0.563	-1.665	7.252	5.316	2.918	9.361
3.5	49.231	0.660	-1.438	6.641	5.487	3.036	8.227
4	50.406	0.410	-1.341	6.500	5.462	3.240	9.102
4.5	52.565	0.118	-1.539	6.466	5.274	3.339	9.426
5	53.260	0.051	-1.649	6.292	5.004	3.469	9.264
6	55.030	0.062	-1.556	6.273	4.939	3.604	9.526
7	56.290	-0.042	-1.467	6.127	4.548	3.464	9.290
8	59.269	-0.095	-1.788	5.856	4.224	3.221	8.268
9.5	59.498	-0.052	-0.946	5.085	4.042	3.048	5.877
11	62.150	-0.012	-1.177	4.720	3.492	2.611	3.748
12.5	64.310	0.067	-1.715	3.576	3.121	2.347	0.930
14	64.103	-0.013	-1.402	3.581	3.085	2.258	0.169
15.5	64.417	-0.180	-1.122	4.894	3.350	2.541	3.303

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
49	D1-0.86-1	0.061	0.234	0.00086	3.24	1.14E-02	0.469	2.93E-03	6.53E-06

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	0.730	1.266	-1.868	8.119	8.062	4.331	14.929
1.3	4.370	1.153	-1.935	9.203	8.648	5.104	23.500
1.8	9.796	0.828	-2.682	10.564	9.328	5.332	32.410
2.3	16.982	0.098	-3.605	10.505	8.638	5.100	29.595
2.8	23.243	-0.167	-3.696	10.526	7.779	4.890	30.600
3.3	29.335	-0.700	-3.951	10.358	7.105	4.608	28.033
3.8	35.526	-0.546	-4.145	8.665	6.031	3.792	16.788
4.3	39.998	-0.556	-3.899	7.312	5.280	3.277	11.113
5.3	44.379	-0.654	-3.327	6.157	4.561	3.061	7.846
6.3	46.336	-0.566	-2.978	5.739	4.292	2.956	7.008
7.3	48.681	-0.685	-2.982	5.550	4.046	2.858	6.739
8.3	49.667	-0.622	-2.308	5.461	3.963	2.856	6.898
9.8	51.690	-0.748	-2.029	4.772	3.537	2.760	5.249
11.3	53.453	-0.507	-1.673	4.473	3.303	2.524	3.691
12.8	55.613	-0.428	-1.991	3.816	2.936	2.167	1.990
14.3	56.546	-0.499	-1.944	3.713	2.810	2.178	2.031
15.8	55.265	-0.494	-1.967	3.415	2.839	2.080	0.133

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
50	D1-0.86-2	0.061	0.226	0.00086	2.84	1.02E-02	0.483	2.74E-03	1.35E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	15.350	1.208	-0.007	8.095	8.851	4.021	12.137
1	18.706	0.506	-0.868	9.357	8.798	4.975	21.832
1.5	22.424	0.570	-1.411	9.889	8.839	5.312	27.120
2	26.323	0.381	-2.048	10.185	7.835	5.130	28.356
2.5	30.212	0.049	-2.141	9.564	7.218	4.762	24.694
3	34.718	-0.262	-2.544	8.727	6.487	4.178	18.047
3.5	37.969	-0.081	-2.399	8.048	5.621	3.689	13.304
4	40.159	-0.199	-2.168	7.264	5.118	3.436	11.460
4.5	42.882	-0.429	-2.279	6.516	4.761	3.165	8.243
5.5	45.301	-0.489	-1.923	5.746	4.141	2.914	6.430
6.5	46.656	-0.688	-1.781	5.476	4.012	2.831	6.273
7.5	48.070	-0.456	-1.594	5.424	3.908	2.831	6.481
8.5	49.827	-0.479	-1.479	4.715	3.708	2.733	5.088
10	50.292	-0.513	-0.911	4.659	3.657	2.740	4.491
11.5	53.849	-0.472	-1.410	4.034	3.101	2.240	2.303
13	53.974	-0.447	-0.977	4.227	2.859	2.268	3.269
14.5	55.629	-0.706	-1.395	3.274	2.889	1.931	0.643
16	55.152	-0.359	-1.327	3.268	2.788	1.876	-0.246

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
51	D1-0.86-3	0.061	0.218	0.00086	1.95	6.97E-03	0.487	2.69E-03	1.81E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	27.598	0.466	0.566	7.583	7.263	3.814	11.467
1.3	29.372	0.759	0.398	8.078	7.188	4.348	15.934
1.8	32.034	0.289	-0.229	8.408	6.894	4.607	18.692
2.3	33.619	0.370	-0.150	8.406	6.689	4.496	19.544
2.8	36.112	0.238	-0.412	8.534	6.231	4.273	18.680
3.3	39.463	0.031	-0.843	7.862	5.583	3.808	15.223
3.8	41.289	0.003	-0.879	7.152	5.183	3.444	11.661
4.3	43.395	-0.065	-0.692	6.335	4.662	3.243	9.014
4.8	44.988	0.004	-0.799	5.855	4.565	3.134	7.529
5.8	46.586	-0.084	-0.653	5.452	4.235	2.922	6.422
6.8	48.306	-0.113	-0.669	5.282	4.135	2.914	6.067
7.8	49.577	-0.234	-0.534	5.264	3.874	2.860	6.420
9.3	48.784	-0.280	0.470	4.814	3.928	2.906	4.957
10.8	51.524	-0.038	-0.042	4.902	3.858	2.805	4.391
12.3	54.483	-0.141	-1.274	4.414	3.610	2.632	2.952
13.8	54.455	0.038	-1.529	3.926	3.362	2.458	1.513
15.3	54.129	-0.118	-1.641	3.431	3.344	2.347	0.085

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
52	D1-0.86-4	0.061	0.212	0.00086	1.49	5.66E-03	0.514	2.40E-03	1.93E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	33.983	-0.070	1.040	7.044	6.633	2.820	7.764
1	35.915	0.122	0.963	7.193	6.577	3.618	10.247
1.5	37.579	-0.091	0.789	7.513	6.420	3.931	13.025
2	38.752	0.207	0.515	7.628	6.137	4.140	14.935
2.5	40.092	-0.150	0.467	7.325	5.846	4.062	14.288
3	41.609	0.087	0.179	7.545	5.533	3.801	13.260
3.5	43.576	-0.121	-0.204	7.017	5.351	3.641	12.134
4	45.117	-0.279	-0.057	6.722	4.997	3.572	11.492
4.5	45.840	-0.305	0.023	6.532	4.802	3.368	10.245
5	48.408	-0.325	-0.472	5.824	4.457	3.117	7.805
6	50.330	-0.391	-0.513	5.035	4.047	2.869	5.954
7	50.777	-0.327	-0.042	4.957	4.073	2.720	4.896
8.5	51.017	-0.657	0.492	4.974	4.013	2.778	3.829
10	52.018	-0.337	0.742	4.992	3.953	2.835	4.619
11.5	55.722	-0.057	-0.980	4.458	3.839	2.563	2.357
13	56.540	-0.301	-1.455	3.494	3.133	2.306	0.656
14.5	56.148	-0.351	-1.551	3.137	2.994	2.126	-0.559
15.5	56.003	-0.563	-1.468	3.153	3.054	2.057	-0.665

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
53	D1-0.86-5	0.061	0.206	0.00086	1.34	4.93E-03	0.535	2.29E-03	2.69E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	37.162	0.475	0.153	6.810	6.155	2.493	7.304
1	39.711	0.119	0.173	6.690	6.340	3.189	8.328
1.5	41.468	0.184	0.155	6.760	6.032	3.631	10.396
2	43.076	-0.013	0.059	6.945	5.740	3.839	11.767
2.5	44.118	0.176	-0.070	7.088	5.749	3.921	12.856
3	45.826	-0.061	-0.397	6.972	5.507	3.870	12.164
3.5	46.806	-0.176	-0.547	7.040	5.311	3.816	13.388
4	48.597	-0.077	-0.601	6.671	5.011	3.544	10.751
4.5	50.336	-0.151	-0.821	6.282	4.676	3.343	9.450
5.5	53.130	-0.103	-1.001	5.446	4.280	3.009	6.442
6.5	54.239	-0.165	-0.681	5.422	3.946	2.855	5.410
8	54.818	-0.162	-0.312	4.804	3.710	2.713	4.264
9.5	56.072	-21.934	-0.282	4.609	3.654	2.821	4.008
11	50.858	0.239	-2.019	4.047	3.599	2.552	2.293
12.5	57.972	-0.261	-1.762	3.485	3.284	2.284	0.578
14	57.355	-0.383	-1.826	3.140	3.099	2.179	-1.086
15	56.244	-0.575	-1.810	3.169	3.166	2.146	-1.369

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
54	D1-0.86-6	0.061	0.202	0.00086	1.12	4.25E-03	0.550	2.23E-03	4.45E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	38.696	0.091	0.119	6.437	5.616	2.253	6.335
1.1	42.057	0.289	0.034	6.345	5.680	2.850	7.524
1.6	43.547	0.079	-0.207	6.404	5.574	3.204	8.359
2.1	44.665	-0.121	-0.216	6.465	5.404	3.393	9.666
2.6	46.149	-0.125	-0.394	6.634	5.313	3.584	10.654
3.1	47.847	-0.011	-0.757	6.478	5.152	3.485	9.864
3.6	49.772	0.054	-0.873	6.575	4.835	3.475	10.495
4.1	49.901	0.016	-0.886	6.485	4.773	3.456	11.219
4.6	51.700	-0.092	-1.159	6.066	4.546	3.276	8.551
5.1	52.181	-0.287	-0.936	5.791	4.344	3.119	7.995
6.1	53.636	-0.257	-1.032	5.326	4.177	3.088	7.323
7.6	55.767	-0.694	-1.176	4.550	3.636	2.875	5.180
9.1	57.937	-6.282	-1.175	3.477	2.533	2.533	3.382
10.6	58.046	-0.157	-0.861	3.943	3.318	2.519	1.796
12.1	58.236	-0.017	-0.807	3.646	3.455	2.644	1.935
13.6	58.710	-0.117	-2.086	3.349	3.591	2.186	-0.664

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
55	D1-0.86-7	0.061	0.200	0.00086	0.94	4.41E-03	0.543	2.16E-03	4.97E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	41.699	-0.402	-0.262	6.630	5.725	2.677	6.752
1.3	43.752	-0.795	-0.377	6.231	5.375	2.896	7.753
1.8	45.087	-0.805	-0.572	6.279	5.625	3.150	7.344
2.3	45.826	-1.099	-0.604	6.292	6.103	3.359	6.835
2.8	47.420	-0.610	-0.578	6.354	5.514	3.454	8.436
3.3	48.762	-0.504	-0.854	6.171	4.970	3.399	9.064
3.8	49.963	-0.592	-1.041	5.979	4.684	3.398	9.350
4.3	50.637	-0.795	-1.178	5.940	4.492	3.318	9.435
4.8	52.168	-0.756	-1.472	5.820	4.338	3.243	8.664
5.8	53.386	-0.712	-1.300	5.383	4.017	3.028	7.017
6.8	54.172	-0.973	-1.155	5.073	3.918	2.869	5.960
8.3	54.234	-0.481	-0.337	5.227	3.889	3.110	6.657
9.8	55.662	-0.577	-0.860	4.109	3.472	2.797	3.593
11.3	58.099	-0.506	-2.002	3.969	3.520	2.394	0.574
12.8	57.555	-0.073	-2.384	3.478	3.785	2.122	-0.901
13.8	57.519	-0.359	-2.326	3.098	2.920	2.062	-0.703

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D1-0.86-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
56	D1-0.86-8	0.061	0.220	0.00086	3.13	1.09E-02	0.501	2.86E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	-0.128	-0.489	1.258	2.417	2.206	1.063	0.089
0.9	-1.374	-0.358	1.844	3.208	3.472	1.555	1.287
1.4	1.112	-0.678	1.580	4.543	4.750	2.312	3.515
1.9	8.410	-1.466	0.266	7.836	7.227	3.633	14.690
2.4	19.932	-0.913	-1.051	11.103	8.642	4.410	31.287
2.9	33.441	-0.618	-2.060	9.382	6.175	3.352	18.532
3.4	41.961	-0.581	-2.169	7.060	5.023	2.843	9.880
3.9	44.190	-0.882	-2.028	6.266	5.121	2.844	7.747
4.4	45.735	-0.939	-2.060	6.007	4.841	2.993	7.785
4.9	47.367	-0.832	-2.243	6.034	4.814	3.123	7.933
5.9	49.085	-0.908	-2.166	5.824	4.585	3.254	8.150
6.9	50.710	-0.792	-2.322	5.606	4.430	3.145	7.413
7.9	51.985	-0.796	-2.185	5.430	4.134	3.132	6.953
9.4	53.535	-0.679	-1.794	5.043	4.010	2.903	5.747
10.9	55.378	-0.568	-1.656	4.516	3.524	2.650	3.813
12.4	56.670	-0.124	-1.766	4.501	3.580	2.782	4.912
13.9	58.982	-2.066	-2.595	3.662	4.985	2.229	2.334
15.4	59.919	2.586	-3.254	3.640	5.141	1.523	-1.722

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
57	D2-0.86-1	0.067	0.232	0.00086	3.52	1.26E-02	0.519	3.76E-03	1.42E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	-0.717	0.960	-1.503	8.674	8.287	4.575	17.155
1.3	4.470	0.767	-2.086	9.707	8.882	5.129	26.611
1.8	11.218	0.417	-2.987	10.923	9.638	5.380	31.142
2.3	18.687	0.274	-3.267	11.412	9.550	5.491	35.225
2.8	25.939	-0.422	-3.608	11.330	8.807	5.069	32.735
3.3	34.205	-0.712	-4.161	10.794	7.443	4.686	28.671
3.8	41.095	-0.556	-4.289	8.720	6.127	3.800	17.183
4.3	45.819	-0.524	-4.106	7.655	5.201	3.355	11.175
5.3	49.766	-0.498	-3.156	6.101	4.810	2.979	6.926
6.3	51.639	-0.598	-2.761	5.887	4.506	3.002	6.922
7.3	52.605	-0.692	-2.266	5.617	4.597	3.041	6.501
8.3	52.644	-0.603	-1.323	5.199	4.559	2.973	4.462
9.8	56.162	-0.409	-1.193	5.453	4.443	3.037	5.859
11.3	59.547	-0.373	-1.856	5.086	4.037	3.036	5.506
12.8	61.034	-0.650	-1.996	4.993	3.787	2.834	3.522
14.3	61.922	-0.098	-2.238	4.425	4.198	2.778	2.816

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
58	D2-0.86-2	0.067	0.224	0.00086	3.36	1.23E-02	0.532	3.56E-03	2.87E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	16.158	1.272	-0.196	9.068	9.311	4.684	18.568
1	20.267	0.594	-0.985	10.435	9.931	5.553	28.502
1.5	24.284	0.580	-1.612	11.207	9.373	5.662	33.461
2	28.679	0.187	-1.952	11.054	8.569	5.538	33.621
2.5	34.370	0.308	-2.579	10.982	7.952	5.062	28.480
3	38.851	-0.093	-2.616	9.591	6.748	4.426	21.710
3.5	42.447	-0.243	-2.455	8.376	5.818	3.858	13.757
4	45.414	-0.372	-2.228	6.996	5.278	3.427	9.573
4.5	47.350	-0.261	-2.047	6.475	4.873	3.186	7.629
5.5	50.622	-0.389	-1.790	5.985	4.546	3.089	7.333
6.5	52.281	-0.501	-1.580	5.823	4.516	3.034	7.099
7.5	53.266	-0.444	-1.118	5.738	4.435	3.018	6.876
8.5	53.691	-0.395	-0.626	5.614	4.256	2.955	6.437
10	55.919	-0.464	0.142	5.653	4.288	2.902	4.677
11.5	59.882	-0.551	-1.113	5.236	3.819	2.926	5.109
13	60.665	-0.705	-1.153	4.611	3.849	2.767	2.528
14.5	60.800	-0.679	-1.237	3.986	3.879	2.607	-0.053
16	60.338	-0.551	-0.860	4.041	3.663	2.415	-0.613

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
59	D2-0.86-3	0.067	0.216	0.00086	2.26	8.45E-03	0.528	3.09E-03	4.05E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	29.526	0.722	0.806	8.306	8.219	4.205	14.964
1.3	32.036	0.668	0.350	8.930	7.915	4.812	20.111
1.8	35.198	0.509	-0.058	9.307	7.544	5.049	22.634
2.3	37.838	0.495	-0.777	9.462	7.111	4.826	22.335
2.8	40.347	0.231	-0.730	9.298	6.472	4.574	22.103
3.3	42.834	-0.145	-0.886	8.769	6.157	4.198	18.197
3.8	45.331	-0.219	-1.011	7.980	5.936	3.819	13.754
4.3	47.276	-0.313	-1.033	7.099	5.229	3.462	10.482
4.8	49.092	-0.352	-1.016	6.608	4.791	3.285	8.623
5.8	50.734	-0.442	-0.908	5.786	4.689	3.160	7.203
6.8	52.541	-0.245	-0.893	5.600	4.223	3.045	6.844
7.8	53.332	-0.320	-0.502	5.469	4.286	2.963	6.315
9.3	47.392	-0.209	1.787	5.338	4.130	2.903	5.232
10.8	54.607	-0.045	-0.276	5.208	3.973	2.843	4.148
12.3	58.217	-0.266	-1.449	4.669	3.546	2.722	2.889
13.8	59.222	-0.428	-2.102	3.697	3.381	2.546	0.340
15.3	58.335	-0.371	-2.360	3.593	3.330	2.485	-0.601

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
60	D2-0.86-4	0.067	0.210	0.00086	1.69	6.68E-03	0.564	2.72E-03	4.48E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	36.740	0.109	1.082	7.745	7.346	3.013	8.280
1	39.345	0.336	0.879	7.714	7.121	3.923	12.493
1.5	41.565	0.283	0.464	8.087	7.060	4.275	14.656
2	42.206	-0.029	0.488	8.112	6.743	4.565	16.853
2.5	43.780	0.109	0.361	8.003	6.490	4.477	16.900
3	45.036	-0.118	0.421	7.910	6.323	4.400	16.143
3.5	48.064	-0.288	0.012	7.784	5.685	3.978	15.315
4	50.226	-0.174	-0.269	7.101	5.338	3.741	12.705
4.5	51.918	-0.332	-0.432	6.929	5.013	3.574	11.810
5	53.310	-0.287	-0.641	6.037	4.849	3.280	8.011
6	55.170	-0.396	-0.501	5.470	4.400	3.061	6.346
7	56.768	-0.297	-0.528	5.242	4.189	3.014	6.293
8.5	55.612	-0.454	0.355	5.110	4.252	3.053	5.618
10	58.180	-0.405	0.378	5.048	3.953	2.848	4.587
11.5	61.189	-0.414	-0.957	4.378	3.514	2.622	2.894
13	62.161	-0.364	-1.707	3.708	3.075	2.396	0.725
14.5	61.858	-0.407	-1.810	3.402	3.113	2.315	-0.355
15.5	61.211	-0.480	-1.348	3.368	3.123	2.334	-0.703

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
61	D2-0.86-5	0.067	0.204	0.00086	1.51	5.76E-03	0.577	2.60E-03	5.76E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	39.916	0.158	0.135	7.348	6.637	2.626	7.849
1	43.083	-0.002	0.217	7.319	6.890	3.508	9.886
1.5	45.124	0.132	0.210	7.651	6.498	3.801	12.236
2	46.641	0.132	-0.036	7.340	6.357	4.056	12.198
2.5	47.660	-0.047	0.018	7.586	6.137	4.216	14.201
3	49.582	0.114	-0.128	7.396	5.923	4.210	14.990
3.5	51.305	-0.159	-0.414	7.580	5.600	4.059	15.114
4	52.593	-0.227	-0.584	7.173	5.290	3.853	13.766
4.5	54.330	-0.244	-0.629	6.902	5.059	3.767	12.290
5.5	56.798	-0.159	-0.921	5.953	4.680	3.239	8.390
6.5	58.561	-0.185	-0.847	5.367	4.167	3.025	5.973
8	59.784	-0.298	-0.651	5.123	3.988	2.959	5.617
9.5	61.010	1.021	-1.669	4.722	3.830	2.878	4.069
11	62.236	0.266	-0.225	4.320	3.672	2.798	2.520
12.5	62.697	-0.023	-1.778	3.585	3.175	2.435	0.167
14	61.461	-0.432	-2.076	3.173	3.117	2.345	-0.962
15	60.373	-0.665	-2.111	3.394	3.246	2.353	-1.826

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
62	D2-0.86-6	0.067	0.200	0.00086	1.26	4.99E-03	0.598	2.57E-03	6.83E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	42.827	-0.073	0.230	7.176	6.287	2.463	7.641
1.1	46.552	-0.295	-0.043	7.096	6.046	3.094	8.986
1.6	47.974	-0.374	-0.079	7.101	6.066	3.464	10.395
2.1	50.066	-0.286	-0.466	6.893	5.947	3.733	10.715
2.6	50.435	-0.146	-0.351	7.008	5.866	3.888	11.637
3.1	52.067	-0.513	-0.762	7.220	5.717	3.863	12.569
3.6	53.757	-0.245	-0.977	6.815	5.410	3.848	12.292
4.1	55.317	-0.362	-1.044	6.680	5.108	3.795	12.278
4.6	56.576	-0.406	-1.274	6.568	4.853	3.595	10.911
5.1	56.989	-0.468	-1.215	6.331	4.643	3.526	10.439
6.1	57.886	-0.236	-0.931	5.696	4.628	3.312	7.990
7.6	60.537	-0.727	-1.204	5.288	3.934	3.252	7.577
9.1	61.521	-0.756	-0.538	4.506	3.679	2.745	3.429
10.6	63.162	-0.433	-1.036	4.366	3.425	2.769	3.067
12.1	63.867	-0.034	-1.356	4.002	3.543	2.573	1.609
13.6	64.325	-0.288	-2.449	3.637	3.661	2.376	-0.696
14.6	63.628	-0.620	-1.925	3.484	3.266	2.453	-1.166

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
63	D2-0.86-7	0.067	0.198	0.00086	1.16	4.91E-03	0.589	2.58E-03	9.46E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	46.095	-0.819	-0.226	7.023	5.687	2.673	8.068
1.3	48.086	-0.662	-0.212	6.833	5.910	3.120	8.787
1.8	50.447	-0.583	-0.575	6.985	5.780	3.388	9.716
2.3	50.831	-0.683	-0.456	6.613	5.920	3.485	8.785
2.8	52.682	-0.639	-0.819	6.502	5.515	3.690	9.829
3.3	53.834	-0.403	-1.025	6.721	5.305	3.734	11.637
3.8	55.001	-0.570	-1.278	6.581	5.095	3.600	10.749
4.3	55.866	-0.575	-1.320	6.439	4.782	3.574	10.947
4.8	56.930	-0.598	-1.485	6.208	4.888	3.460	9.206
5.8	58.477	-0.570	-1.434	6.011	4.475	3.271	8.385
6.8	58.712	-0.463	-0.907	5.328	4.426	3.066	5.871
8.3	59.592	-0.441	-0.507	5.369	4.278	3.284	6.772
9.8	56.644	-0.480	-0.047	4.987	4.081	2.969	4.582
11.3	63.050	-0.422	-1.488	4.605	3.884	2.654	2.393
12.8	63.349	-0.406	-1.804	3.834	3.807	2.448	-0.672
14.3	62.640	-0.512	-1.842	3.476	3.231	2.455	-1.314

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D2-0.86-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
64	D2-0.86-8	0.067	0.218	0.00086	3.96	1.37E-02	0.538	3.35E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.4	1.927	0.772	0.937	2.568	2.296	0.773	-1.107
0.9	-0.735	0.094	1.843	3.532	3.564	1.597	0.441
1.4	0.947	-0.345	1.814	4.944	5.109	2.487	4.193
1.9	8.821	-1.265	0.573	9.030	8.187	4.023	19.209
2.4	22.684	-0.860	-1.413	12.352	9.760	5.019	39.627
2.9	37.938	-1.134	-2.483	10.355	7.195	3.724	21.565
3.4	45.516	-0.818	-2.172	7.391	5.627	2.980	10.272
3.9	48.431	-0.596	-2.209	6.729	5.400	3.103	9.218
4.4	50.608	-0.824	-2.294	6.495	5.331	3.208	8.339
4.9	51.709	-0.730	-2.279	6.231	5.349	3.360	8.792
5.9	53.150	-0.707	-2.157	6.444	5.127	3.546	10.223
6.9	54.797	-0.684	-2.074	6.200	4.925	3.433	9.731
7.9	56.596	-0.741	-2.221	5.948	4.637	3.266	8.067
9.4	58.232	-0.667	-2.170	5.521	4.345	3.279	7.066
10.9	61.061	-0.636	-1.921	5.116	3.811	2.670	3.585
12.4	62.981	-0.526	-1.913	4.571	3.659	2.535	3.166
13.9	63.719	0.102	-2.505	4.038	3.952	2.549	1.442
15.4	61.589	1.112	-1.788	4.418	4.599	1.877	-3.143

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-1

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
65	D3-0.86-1	0.072	0.231	0.00086	3.79	1.43E-02	0.558	4.01E-03	2.30E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	-0.660	1.774	-1.503	9.216	9.013	5.012	18.411
1.3	4.881	1.149	-2.201	10.834	9.997	5.640	29.370
1.8	12.019	0.536	-2.997	12.000	10.287	5.753	36.570
2.3	20.185	0.067	-3.596	12.347	10.042	5.702	37.866
2.8	29.200	-0.261	-4.069	12.239	9.680	5.572	37.788
3.3	36.734	-0.869	-4.321	11.459	7.741	4.990	31.116
3.8	44.406	-0.519	-4.393	9.632	6.453	4.003	19.712
4.3	49.860	-0.656	-4.338	7.521	5.414	3.356	10.753
5.3	54.470	-0.988	-3.513	6.315	4.996	3.125	7.124
6.3	56.385	-0.750	-3.045	6.123	4.713	3.137	7.422
7.3	57.694	-0.746	-2.337	5.771	4.790	3.140	6.691
8.3	58.844	-0.857	-1.671	6.050	4.729	3.235	6.885
9.8	60.161	-0.613	-0.572	5.573	4.919	3.174	5.093
11.3	62.542	-0.373	-0.226	5.559	4.402	3.049	5.803
12.8	67.243	-1.022	-1.809	4.760	3.699	3.033	3.957
14.3	67.665	-1.335	-1.574	4.557	3.577	3.018	1.206
15.8	65.695	-1.032	-1.390	4.278	3.604	2.650	-0.984

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-2

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
66	D3-0.86-2	0.072	0.223	0.00086	4.27	1.50E-02	0.562	3.94E-03	5.00E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	16.738	0.918	0.162	10.100	10.448	5.055	20.643
1	21.342	0.608	-0.848	11.385	10.678	6.044	32.901
1.5	25.301	0.500	-1.406	12.255	10.351	6.550	42.656
2	31.356	0.381	-2.215	12.533	9.655	6.168	41.945
2.5	36.331	0.326	-2.331	12.392	8.351	5.704	41.322
3	41.882	-0.264	-2.907	10.242	7.406	4.584	21.636
3.5	46.209	-0.532	-2.702	9.200	6.146	4.044	16.689
4	49.283	-0.362	-2.610	7.631	5.453	3.626	10.342
4.5	51.927	-0.419	-2.362	6.918	5.159	3.385	8.732
5.5	54.421	-0.656	-1.985	6.661	4.713	3.286	8.815
6.5	56.933	-0.508	-1.905	6.008	4.554	3.168	7.341
7.5	57.308	-0.807	-1.416	5.844	4.449	3.179	7.387
8.5	57.609	-0.404	-0.666	5.754	4.548	3.084	5.828
10	59.580	-0.524	-0.406	5.956	4.477	3.089	6.268
11.5	63.868	-0.808	-1.883	4.989	3.648	2.986	4.602
13	64.985	-0.690	-2.126	4.636	3.516	2.943	3.201
14.5	64.343	-0.681	-2.428	3.930	3.439	2.743	-0.334
16	62.563	-0.520	-2.573	3.861	3.419	2.747	-1.266

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-3

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
67	D3-0.86-3	0.072	0.215	0.00086	3.19	1.06E-02	0.582	3.54E-03	5.90E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	32.788	0.128	0.739	8.864	8.856	4.537	15.776
1.3	35.094	0.360	0.345	9.902	8.542	5.370	25.118
1.8	37.352	0.470	0.104	10.604	8.172	5.634	31.912
2.3	39.947	0.272	-0.447	10.388	8.033	5.309	28.063
2.8	43.496	-0.120	-0.725	9.869	7.339	4.828	23.034
3.3	46.791	-0.326	-1.031	8.995	6.655	4.435	19.341
3.8	48.623	-0.061	-0.887	8.805	6.450	4.251	17.894
4.3	50.939	-0.126	-0.923	7.547	5.694	3.738	11.492
4.8	53.498	-0.477	-1.067	6.530	5.267	3.541	9.700
5.8	55.766	-0.237	-1.014	6.059	5.001	3.340	7.866
6.8	57.606	-0.336	-0.911	6.212	4.527	3.264	7.967
7.8	57.499	0.025	-0.284	6.141	5.098	3.337	7.214
9.3	59.857	0.182	13.208	6.298	4.828	3.189	6.595
10.8	62.214	-0.477	-0.552	6.455	4.558	3.041	5.686
12.3	63.455	-0.562	-2.339	4.966	3.398	2.718	3.109
13.8	65.379	-0.434	-3.187	3.813	3.202	2.343	-0.367
15.3	65.011	-0.525	-3.134	3.497	3.185	2.343	-1.019

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-4

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
68	D3-0.86-4	0.072	0.209	0.00086	2.08	7.72E-03	0.589	3.00E-03	7.41E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	38.904	-0.234	1.206	7.993	7.555	3.130	9.578
1	41.709	-0.083	0.946	7.998	7.691	4.097	11.973
1.5	43.799	-0.206	0.752	8.439	7.444	4.645	17.793
2	45.012	0.307	0.665	8.743	7.351	4.899	20.794
2.5	46.462	-0.367	0.195	8.519	6.958	4.723	19.938
3	49.196	-0.255	-0.002	8.454	6.343	4.452	19.104
3.5	51.436	-0.365	-0.037	8.175	6.067	4.209	17.660
4	54.088	-0.336	-0.601	7.552	5.351	3.837	13.462
4.5	55.397	-0.330	-0.639	7.051	5.405	3.685	10.656
5	56.861	-0.414	-0.710	6.237	5.011	3.429	9.058
6	58.868	-0.350	-0.746	6.056	4.738	3.369	8.554
7	60.586	-0.376	-0.855	5.547	4.256	3.223	6.983
8.5	59.523	-0.403	0.414	5.205	4.418	3.150	5.123
10	61.632	-0.469	0.266	5.309	4.117	3.197	4.607
11.5	64.568	-0.349	-1.324	4.382	3.648	2.782	2.063
13	65.076	-0.461	-1.770	3.844	3.311	2.606	0.120
14.5	63.452	-0.430	-1.923	3.524	3.266	2.496	-1.943
15.5	62.226	-0.687	-1.517	3.392	3.234	2.603	-2.171

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-5

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
69	D3-0.86-5	0.072	0.203	0.00086	1.62	6.34E-03	0.614	2.86E-03	7.85E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.5	42.849	-0.028	0.407	7.550	7.054	2.712	8.474
1	47.166	-0.229	0.156	7.699	7.107	3.622	11.082
1.5	48.924	-0.206	-0.082	7.839	6.701	3.970	11.994
2	50.276	-0.441	-0.336	8.031	6.581	4.364	15.617
2.5	51.943	-0.494	-0.283	8.058	6.387	4.366	16.169
3	52.836	-0.510	-0.444	7.875	6.294	4.316	15.542
3.5	55.304	-0.369	-0.918	7.757	5.933	4.082	14.559
4	56.508	-0.418	-0.870	7.753	5.614	3.960	14.995
4.5	57.876	-0.438	-1.029	7.009	5.533	3.775	11.748
5.5	60.603	-0.444	-1.299	6.418	4.727	3.412	9.287
6.5	62.619	-0.534	-1.326	5.464	4.504	3.192	7.317
8	63.026	-0.370	-0.775	5.405	4.223	3.161	6.145
9.5	63.348	20.128	-0.404	5.352	3.990	3.278	5.777
11	65.494	-0.126	-1.165	4.983	3.756	2.877	4.130
12.5	66.466	-0.263	-3.173	3.893	3.317	2.615	0.543
14	65.662	-0.224	-3.738	3.527	3.173	2.564	-0.756
15	64.380	-0.293	-4.200	3.441	3.174	2.437	-0.720

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-6

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
70	D3-0.86-6	0.072	0.199	0.00086	1.44	5.68E-03	0.641	2.91E-03	9.00E-05

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.6	46.453	-0.359	-0.058	7.626	6.654	2.767	9.304
1.1	49.442	-0.240	-0.096	7.625	6.520	3.373	10.738
1.6	52.057	-0.226	-0.410	7.426	6.427	3.711	11.220
2.1	53.131	-0.171	-0.432	7.451	6.353	4.006	13.199
2.6	54.297	-0.332	-0.395	7.598	6.242	4.105	14.399
3.1	55.855	-0.235	-0.683	7.479	6.027	4.181	13.164
3.6	56.956	-0.134	-0.761	7.258	5.887	4.063	13.962
4.1	59.118	-0.221	-1.107	7.079	5.467	3.889	11.923
4.6	59.925	-0.452	-1.141	6.946	5.301	3.759	12.570
5.1	60.669	-0.389	-1.106	6.492	5.042	3.587	10.222
6.1	62.104	-0.397	-1.089	6.303	4.758	3.452	9.726
7.6	63.238	-0.604	-0.301	5.689	4.534	3.258	7.375
9.1	57.010	-0.407	2.432	5.183	4.130	3.034	7.289
10.6	67.619	-0.539	-0.729	4.677	3.727	2.811	3.051
12.1	67.850	-0.234	-0.977	4.192	3.673	2.621	3.655
13.6	69.095	-0.710	-1.178	3.708	3.620	2.432	-0.279

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-7

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
71	D3-0.86-7	0.072	0.197	0.00086	1.34	5.42E-03	0.633	2.87E-03	1.31E-04

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	50.053	-0.353	-0.305	7.427	6.366	2.946	9.846
1.3	52.813	-0.741	-0.443	7.314	6.216	3.321	10.847
1.8	53.970	-0.595	-0.563	6.923	6.347	3.635	9.614
2.3	54.872	-0.666	-0.731	7.146	6.134	3.874	12.150
2.8	56.109	-0.585	-0.841	7.148	5.883	3.986	13.350
3.3	58.181	-0.569	-1.209	6.890	5.818	3.834	11.039
3.8	58.614	-0.439	-1.257	7.138	5.529	3.892	12.744
4.3	59.613	-0.560	-1.345	6.964	5.168	3.907	13.252
4.8	60.501	-0.495	-1.407	6.950	4.986	3.870	12.871
5.8	61.921	-0.634	-1.449	6.093	4.783	3.536	9.137
6.8	63.993	-0.634	-1.557	5.726	4.296	3.109	6.636
8.3	63.456	-0.571	-0.639	5.290	4.615	3.377	5.923
9.8	65.305	-0.545	-0.878	5.007	4.052	3.143	4.562
11.3	67.802	-0.248	-1.859	5.240	4.003	2.976	2.623
12.8	67.251	-0.401	-2.635	3.953	4.156	2.722	-0.270
14.3	66.587	-0.492	-2.840	3.485	3.274	2.892	-1.466

Measurements of sediment pickup rate over dune-covered bed

Environmental Fluid Mechanics

Adel Emadzadeh and Nian-Sheng Cheng

School of Civil and Environmental Engineering, Nanyang Technological University, Nanyang Avenue, Singapore, 639798.

E-mail: aemadzadeh@ntu.edu.sg, cnscheng@ntu.edu.sg

D3-0.86-8

No.	Section	Q (m ³ /s)	H (m)	D (m)	τ_{max} (N/m ²)	k_{max} (m ² /s ²)	U (m/s)	K (m ² /s ²)	E (m ³ /m ² /s)
72	D3-0.86-8	0.072	0.217	0.00086	4.34	1.52E-02	0.580	3.18E-03	0

z (cm)	u (cm/s)	v (cm/s)	w (cm/s)	u' (cm/s)	v' (cm/s)	w' (cm/s)	$-\overline{u'w'}$ (cm ² /s ²)
0.8	-2.499	0.105	2.379	3.658	3.822	1.756	1.782
1.3	-0.441	0.016	2.222	4.824	4.824	2.471	3.516
1.8	6.404	-0.973	1.332	7.929	7.595	3.802	13.931
2.3	20.633	-1.002	-0.886	13.036	10.307	5.320	43.370
2.8	39.537	-0.632	-2.669	11.528	7.580	4.060	28.459
3.3	48.903	-0.856	-2.613	8.068	5.981	3.210	12.620
3.8	52.391	-0.729	-2.406	7.413	5.727	3.318	11.115
4.3	54.578	-1.025	-2.295	6.952	5.863	3.412	10.525
4.8	55.400	-0.535	-2.330	6.825	5.639	3.598	10.259
5.8	57.439	-0.744	-2.108	6.359	5.217	3.623	9.266
6.8	59.814	-0.783	-2.550	6.733	5.146	3.790	11.658
7.8	61.716	-0.602	-2.647	6.463	4.900	3.670	11.231
9.3	62.985	-0.249	-2.173	5.746	4.597	3.332	6.782
10.8	65.424	-0.361	-1.571	4.999	4.067	2.933	4.021
12.3	68.315	-0.558	-2.401	4.320	3.493	2.807	2.820
13.8	69.223	-0.611	-2.761	4.059	3.245	2.604	1.246
15.3	68.535	-0.670	-2.489	4.203	3.647	2.307	-1.999